NPS-53-86-0002PR

NAVAL POSTGRADUATE SCHOOL

Monterey, California

PWMA FIELD TEST

by

T. JAYACHANDRAN

H. J. LARSON

Project Report for Period

October 1984 - December 1985

Prepared for: Naval Postgraduate School
Monterey, CA 93943

"Approved for public release; distribution is unlimited."

NAVAL POSTGRADUATE SCHOOL
MONTEREY CALIFORNIA 93943

R. H. SHUMAKER
Rear Admiral, U. S. Navy
Superintendent

D. A. SCHRADY
Provost

This report was prepared by:

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS BEFORE COMPLETING FORM

1. REPORT NUMBER: NPS-53-86-0002PR	2. GOVT ACCESSION NO.
3. RECIPIENT'S CATALOG NUMBER	
4. TITLE *(and Subtitle)*: PWMA Field Test	5. TYPE OF REPORT & PERIOD COVERED: Project Report 10/84 - 12/85
	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s): T. Jayachandran, H. J. Larson	8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS: Naval Postgraduate School, Monterey, California 93943	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE: January 1986
	13. NUMBER OF PAGES: 78
14. MONITORING AGENCY NAME & ADDRESS *(if different from Controlling Office)*: Naval Air Engineering Center, Lakehurst, NJ 08733 (Code 92611)	15. SECURITY CLASS. *(of this report)*: Unclassified
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT *(of this Report)*

Approved for public release; distribution is unlimited.

17. DISTRIBUTION STATEMENT *(of the abstract entered in Block 20, if different from Report)*

18. SUPPLEMENTARY NOTES

19. KEY WORDS *(Continue on reverse side if necessary and identify by block number)*

wearmetals, analyzer, spectrometer, field test

20. ABSTRACT *(Continue on reverse side if necessary and identify by block number)*

Results of statistical analyses of the data from the field test of a newly developed Portable Wear Metal Analyzer (PWMA) are presented.

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

The military services use spectrometric analyses of oil samples from turbine engine aircraft as a tool for preventative maintenance. Normally, the oil samples are sent for analysis to one of several laboratories distributed at various military bases. When aircraft are deployed from their home bases to remote field locations, they are deprived of the benefits of timely oil analysis; for some of the high performance aircraft it has been determined that oil should be analyzed after each flight. The spectrometers that are currently in use are not suitable for deployment with the aircraft because of their bulkiness and their support accessories requirements.

The Air Force awarded a contract to the Perkin-Elmer corporation for the development of a ruggedized, light-weight oil analysis unit that is easily transportable to field locations. A new prototype Portable Wear Metal Analyzer (PWMA) was successfully demonstrated in October 1984. The instrument is packaged in two suitcase like containers that weigh less than 60 pounds each and in laboratory testing it was able to withstand extremes of humidity, temperature and shock. The PWMA can simultaneously analyze and measure the ppm levels of nine wear metals viz., aluminum, chromium, copper, iron, magnesium, nickel, silicon, silver and titanium. The Air Force provided the desired dynamic ranges within which the instrument is required to measure the concentration levels to within one ppm with a repeatability of 2.5%.

The operating principle of the PWMA is the following. An oil sample is injected into a "graphite furnace tube" and is atomized by heating to 3000°C in a preprogrammed ramped cycle. A nine channel polychrometer measures the light energy (emitted by a hollow cathode lamp) absorbance attributable to the atoms of each of the nine wear metals of interest. The

absorbance numbers are then converted into concentration levels (in ppm) and printed on a built-in thermal printer; the concentration levels can also be read off of a LED display. The oil sample is injected with an argon-propelled gun; a specially designed disposable plastic tip, attached to the gun, extracts a measured amount of oil sample for analysis. The initial estimate of the useful life of a graphite tube was 160 burns.

The Air Force acquired six copies of the prototype PWMA for testing in an operational environment with military personnel as operators, to assess the suitability of the instrument for the Joint Oil Analysis Program. The Air Force Wright Aeronautical Laboratories (AFWAL) developed a plan for the field test at one Navy location (NARF, Pensacola) and three Air Force oil analysis laboratories (Elmendorf AFB, Langley AFB and Myrtle Beach AFB). One PWMA was retained by AFWAL for internal evaluation and testing and the sixth instrument was to be used as a spare. The plan comprised of testing, at each location, twelve graphite tubes with 160 samples analyzed on each tube, over a four day period at the rate of 40 samples per day. The daily burn sequence was completely specified and included calibration samples (synthesized samples with known concentration levels - 20%, 50%, 100% of the top of the dynamic range - to be used for calibrating the PWMA), verification samples (synthesized samples with known concentration levels - 10%, 40% and 70% of the top of the dynamic range), correlation samples (blend of used oil and synthesized oil, supplied by JOAP-TSC) and random samples (used oil samples from locally based aircraft at each location) to be analyzed in a specified order. On the first and third day of the four day cycle the PWMA was to be "calibrated" and on the second and fourth day a "reslope" operation was required. The calibration process consisted of analyzing the three calibration samples; an internal microprocessor would perform a mathematical analysis to determine

the functional relationship (calibration curve) between the measured light absorbance values and the known concentration levels. After calibration, the PWMA produces the concentration levels for any oil sample based on this calibration curve. The reslope is a simplified procedure to fine tune the calibration curve to adjust for any drifts or changes. Most of the oil samples analyzed on the PWMA were also be analyzed on the AE/35U-3 (henceforth Dash-3) atomic emission spectrometer, currently the primary spectrometer in use.

Due to unforeseen scheduling difficulties, breakdowns of the PWMA and other operational constraints, not all bases were able to complete the test exactly according to the plan. The number of graphite tubes tested was different at each of the four locations and there were also differences in the way the data was collected. At one base the PWMA was calibrated each day instead of every other day as required by the plan. If a tube malfunctioned before the completion of a 160 burn sequence, the plan called for the initiation of a fresh 160 burn sequence with a new tube; at one base this requirement was not adhered to and the old test sequence was continued with a new tube. There were also differences in the way samples were drawn for analysis; in some cases the oil bottles were thoroughly shaken before drawing the samples and in other cases this was not done. The point to remember is that these differences may have had a bearing on some of the statistical conclusions reported below.

The data from the field test was sent to us for analysis. We performed statistical tests to examine for (1) consistency of the analytical results between the four instruments (2) stability of the results for different tubes for a fixed instrument (3) differences between the days (significant day to day differences in the observations) for each instrument and tube combination and (4) drifts within a day as the day progressed from morning

to afternoon. For the calibration and verification samples we also had available to use the actual light absorbance numbers. We used this absorbance data to check if the calibration algorithm that is programmed into the PWMA's microprocessor could be improved upon to provide more accurate measures of concentration. The measurements for like samples from the PWMA and the AE/35U-3 spectrometer were summarized by computing the means and variances and compared to assess the degree of similarity between the two types of instruments. The data was further analyzed to check if a predictable functional relationship exists between the PWMA measurements and the corresponding emission spectrometer measurements. The underlying reason for this is that if such a relationship were to exist, it can be used to generate decision criteria (criteria for determining when an aircraft engine may require some type of maintenance) for the PWMA, if it were to be selected by the Air Force for oil analysis. This can be achieved by translating the existing Dash-3 threshold wear metal concentration levels into equivalent threshold values for the PWMA based on the established functional relationship. We also examined the data on graphic tube failures to estimate the failure time distribution.

It should be pointed out that practically all of the statistical analyses were performed on the data from the calibration, verification and correlation samples only. The data for the random samples was not used because these samples were very "clean", with many of the concentration numbers zero, rendering them unsuitable for meaningful analyses. Because of this, the oil analysis laboratory at NARF, Pensacola volunteered and collected some additional data on used oil samples, independent of the field test. This data, comprising of corresponding measurements on the PWMA and the emission spectrometer for 20 different used oil samples, replicated five times (five repeated burns for each sample), was used primarily to identify the functional relation-

ship between the measurements for the PWMA and the emission spectrometer, this time for used oil samples.

We now present the results of the statistical analyses; in performing these analyses our aim was to ascertain if statistically significant differences exist a) between the instruments, b) between tubes within any instrument and c) between days wtihin each instrument/tube combination.

Nine correlation samples, prepared by JOAP-TSC were analyzed on all four PWMA's and also with each graphite tube. The means and variances calculated from the data are in Tables 1-9, a separate table for each element. An analysis of variance (F-test) was performed to check for statistically significant differences; an asterisk (*) in a column indicates that the four instruments (four test locations) are significantly different, and a (@) symbol implies that significant differences exist between graphite tubes within each instrument. The analysis of variance tables containing the computed mean squares and F-ratios are included in Tables 10-18. Analogous results for the emission spectrometer are in Tables 19-36; this instrument does not have any replaceable graphite tubes and hence the analysis of variance tests for significant differences between the instruments only.

The field test plan called for analyzing three verification samples every day (twice every alternate day, early and late) on all the PWMA's, with each graphite tube and also on the Dash-3 spectrometer. Analyses of variance on this data indicates that in addition to significant differences between the PWMA's and the graphite tubes, the variability between days, as well the differences between early and late measurements on any day are statistically significant. For the Dash-3 spectrometer, there were significant differences between the instruments as well as between days within instruments, in several cases; see Tables 37 and 38.

In order to provide a comparison of the performances of the PWMA and the Dash-3 spectrometer we prepared two sets of graphs. In the first set (Figures 1-3) we present cross-bar charts of the observed standard deviations for each of the nine correlation samples. The half-width of a horizontal bar represents the standard deviation for the Dash-3 and the vertical half-height measures the standard deviation for the PWMA. The standard deviations (Table 39) were computed by pooling all the available data for each sample. Not all of the graphs contain nine cross-bars; this is because the standard deviations were too small for plotting. It would appear from these graphs that the overall variability for the two types of instruments is comparable. The second set of graphs (Figures 4-6) contain the results of regression analyses to fit straight lines to the PWMA mean and the emission spectrometer mean, for the nine correlation samples. It is clear that a straight line provides a good representation of the relationship between the PWMA measurements and the emission spectrometer measurements. This indicates a "compatibility" between the two types of instruments.

Standard deviation plots and the results of least squares line fitting to the used oil samples data (collected at NARF, Pensacola independent of the field test) are in Table 40 and Figures 7-11. The fitted straight lines appear to provide adequate approximations, but not as good as the results for correlation samples, for all elements except silicon and titanium. The lack of fit for silicon and titanium was primarily due to negligibly small concentration levels. The used oil samples were notall homogeneous; three different base oils of different viscosity were involved. This could, in part account for the lack of fit, for the other elements. A more extensive, controlled experiment will be necessary to measure the relationship, for used oils, between the PWMA and Dash-3.

Next we report on the effort to assess the adequacy of the calibration algorithm programmed into the PWMA's microprocessor; this algorithm fits a rational polynomial equation to the absorbance numbers and the concentration levels for the three calibration samples. We extracted the actual absorbance numbers for the three calibration samples as well as the three verification samples for one of the graphite tubes (all four days) tested at the Langley AFB. Least squares curve fitting techniques were applied to fit an exponential function of the form $y = e^{\alpha+\beta x}$ where x represents the absorbance value and y the corresponding concentration; α and β are unknown parameters to be estimated via least squares. The results, using the pooled data for all four days, are in Figures 12-20. It is clear that the fitted exponential curve tracks the general trend in the relationship between x and y quite well, although there is a certain amount of variability in the horizontal direction; this variability is attributable to the significant day to day differences in the measurements, noted earlier. Figures 22-27 present the results of the same type of analysis for the wearmetals Iron and Silicon except that the data was separated by days and individual curves were fit; a definite improvement in fit is evident. Based on this very limited analysis the following observations appear reasonable. The use of more than three calibration points (we tried six) could result in a more accurate calibration curve. Daily calibration, instead of every other day will have a benificial effect on the PWMA performance. The suitability of mathematical models such as the exponential model for the calibration curve should be explored.

We analyzed the data on the graphite tube failure times (burn numbers) and calculated the median time to failure to be 126 burns. The actual failure times and the causes of failure are listed in Table 39 and the observed

cumulative frequency distribution of failure times is in Table 40. It would appear that a reasonable policy is to replace the graphite tube after about 120 burns.

In conclusion, the analysis of the data from the PWMA field test revealed statistically significant differences between the instruments and also between graphite tubes for a fixed instrument. A significant day to day effect as well as a time of day effect was also evident. However, statistically significant differences between the PWMA's does not necessarily imply its unsuitability for SOAP. The determination of the acceptability of the PWMA should be based on realistic accuracy and repeatability criteria desirable for SOAP, the need for a portable oil analyzer, maintainability requirements and of course various cost considerations. It is of interest to note that the measurements from the Dash-3 spectrometer, which is the primary instrument for oil analysis, also exhibited significant differences between the instruments as well as a day to day effect. Another point to remember is that the data collection process was not uniform at the four test sites. As indicated earlier, at some sites the PWMA was calibrated every day and at other sites the instrument was calibrated every other day. The requirement for the initiation of a new 160 burn test sequence each time a graphite tube was replaced, was not adhered to at all bases. There were also differences in the sample selection/injection process. At a debriefing after the conclusion of the field test, it was noted that sample injection gun's trigger can accidentally get squeezed more than once, resulting in a splattering of the sample in and around the graphite tube and this can result in incorrect measurements. All these factors may have had some bearing on the observed differences in the data from the PWMA. It would appear that a combination of a close adherence to the prescribed operating procedures, minor design changes and an improved calibration scheme would improve the PWMA performance.

PWMA values for FE

Tube No	Stat	Correlation Sample Number * 1 ⊠	* 2 ⊠	* 3 ⊠	* 4 ⊠	* 5 ⊠	* 6 ⊠	* 7 ⊠	* 8 ⊠	* 9 ⊠
1	Mean	9.60	28.40	7.00	7.60	26.00	3.00	20.60	4.80	29.20
	StDev	.89	1.95	.00	.55	2.55	.71	3.65	.45	.84
2	Mean	10.20	25.60	7.20	2.60	9.40	3.80	39.20	3.20	17.20
	StDev	.84	.55	.45	.55	.55	.45	4.44	.84	2.77
3	Mean	3.80	12.80	3.80	3.40	15.20	4.40	59.20	5.20	17.80
	StDev	.45	1.30	.84	.89	1.30	.55	31.82	.45	1.10
4	Mean	7.40	15.40	4.60	6.60	23.00	5.20	45.40	2.80	16.20
	StDev	1.34	1.14	.89	1.14	1.87	1.79	4.98	.45	1.10
5	Mean	7.60	17.20	5.00	5.00	19.80	4.40	42.00	8.80	64.20
	StDev	.55	1.79	.71	.00	.45	1.14	4.42	6.87	2.28
7	Mean	7.60	16.20	4.60	6.20	20.80	3.60	37.40	4.60	22.40
	StDev	2.07	2.17	.89	1.10	1.92	.89	8.73	.89	3.51
1	Mean	10.60	27.60	8.60	8.60	19.80	4.20	67.40		
	StDev	1.34	2.41	.55	.55	.45	.45	1.67		
2	Mean	10.40	27.40	8.20	7.20	18.00	3.80			
	StDev	.89	.89	.45	.45	.71	.45			
3	Mean	11.00	25.40	8.20	7.80	17.80				
	StDev	.00	.89	.84	.84	.45				
4	Mean						8.20	76.00		
	StDev						1.10	3.94		
5	Mean	10.40	29.60	8.40	9.00	21.40	4.00	64.00	4.80	18.40
	StDev	.55	.89	.55	.00	.89	.00	10.51	.45	.89
6	Mean	9.80	25.80	3.20	8.40	16.80	4.20	77.20	2.40	15.20
	StDev	.45	.84	.45	3.58	6.26	.45	10.03	.55	.45
7	Mean	9.00	26.40	3.00	5.40	12.40	3.40	72.60	1.80	14.20
	StDev	.00	1.52	.00	.55	.55	.55	2.88	.45	.45
2	Mean	9.20	25.00	5.20	7.00	13.20	4.60	65.60		
	StDev	.45	5.61	3.83	.71	.84	.89	5.03		
3	Mean	11.00	25.40	4.00	5.80	15.60			1.80	24.20
	StDev	.71	2.61	.00	.45	9.21			.45	1.10
4	Mean						3.20	72.60	2.00	18.80
	StDev						.45	5.32	.00	1.30
5	Mean	8.60	27.40	3.00						
	StDev	.55	2.70	.00						
6	Mean				6.00	18.60	3.80	71.00		
	StDev				.71	2.30	.45	6.89		
1	Mean	11.00	30.40	9.00	9.60	22.60	3.20	89.20	3.20	26.60
	StDev	.00	3.44	.00	.89	2.41	.45	1.30	.45	1.95
3	Mean	9.80	30.00	8.40	9.20	23.20	3.80	72.00	5.00	29.20
	StDev	1.30	1.22	.55	.84	2.17	.45	4.74	.00	1.64
4	Mean	9.20	30.00	14.40						
	StDev	.84	.71	6.80						
5	Mean	8.20	29.20	8.00	7.40	26.20	3.00	76.40	4.60	26.00
	StDev	.45	.45	.00	.55	.84	.00	1.95	.55	1.73
6	Mean	9.60	28.00	8.00	7.80	21.80	3.20	66.60	6.80	30.40
	StDev	.55	.71	.00	.45	.84	.45	3.05	.84	4.16
8	Mean	7.60	28.40	6.00	7.20	24.00	3.80	82.60	4.60	27.60
	StDev	.55	1.14	.00	.45	.00	.45	4.88	.55	.89
9	Mean	10.40	28.80	11.00	9.40	19.20	3.40	82.60	4.20	22.80
	StDev	1.14	3.49	5.05	.55	.45	.55	7.83	.45	1.48
12	Mean	11.00	28.40	7.00	8.00	20.40	4.20	71.80	5.80	32.00
	StDev	.71	.55	.00	.00	.89	.45	.45	.84	4.64
13	Mean	12.80	28.60	8.80	9.20	22.20	5.60	79.60	7.20	29.60
	StDev	1.10	.55	.45	2.17	.45	.55	8.32	1.30	3.21
15	Mean	9.20	27.20	9.00	8.00	21.00	3.40	57.80	6.60	26.40
	StDev	.45	.84	.00	.00	.00	.55	7.85	1.34	4.39
16	Mean	13.40	31.00	8.00	9.00	21.00	3.40	78.80	6.80	35.80
	StDev	1.14	2.24	.00	1.41	.00	.55	6.10	.84	1.10

odes by Sample Numbers: * means Lab differences, ⊠ means Tube differences

TABLE 1

PWMA values for AG

Lab	Tube No	Stat	Correlation Sample Number * 1 ⊠	* 2 ⊠	* 3 ⊠	* 4 ⊠	* 5 ⊠	* 6 ⊠	7	8	9
Elm	1	Mean	7.20	11.80	16.00	12.20	5.00	9.60	.00	.00	.
		StDev	1.10	.45	.00	1.30	1.00	1.34	.00	.00	.
	2	Mean	5.60	11.60	11.20	2.40	2.00	8.00	.00	.00	.
		StDev	.55	.55	.45	.55	.00	.00	.00	.00	.
	3	Mean	2.60	8.40	10.60	3.60	3.00	10.80	.00	.00	.
		StDev	.55	1.14	1.82	.89	.71	.45	.00	.00	.
	4	Mean	3.20	6.40	9.40	4.20	3.80	9.00	.00	.00	.
		StDev	.84	1.14	3.21	1.10	.45	1.87	.00	.00	.
	5	Mean	3.40	9.80	10.60	4.60	3.80	9.20	.00	.00	.
		StDev	.55	1.30	.89	.89	.45	1.10	.00	.00	.
	7	Mean	3.40	7.20	9.40	4.20	3.40	7.00	.00	.00	.
		StDev	.89	1.64	1.14	1.10	.55	1.87	.00	.00	.
Lan	1	Mean	5.00	11.80	12.00	10.00	4.00	9.20	.00		
		StDev	.00	.45	.00	.00	.00	.45	.00		
	2	Mean	4.80	11.40	12.00	9.00	4.00	7.60			
		StDev	.45	.89	.00	.71	.00	.55			
	3	Mean	5.00	11.00	12.40	8.40	3.80				
		StDev	.00	.00	.89	1.52	.45				
	4	Mean						9.80	.00		
		StDev						1.10	.00		
	5	Mean	4.80	11.20	11.20	9.00	4.00	8.60	.00	.00	.
		StDev	.45	.45	.45	.00	.71	.55	.00	.00	.
	6	Mean	6.00	11.80	11.40	9.20	1.00	10.00	.00	.00	.
		StDev	.71	.45	.55	.84	.00	.00	.00	.00	.
	7	Mean	5.00	11.60	11.40	8.60	1.60	8.20	.00	.00	.
		StDev	.00	.55	1.52	.89	.55	1.64	.00	.00	.
MvB	2	Mean	4.60	10.80	9.80	9.40	.60	10.00	.00		
		StDev	.55	.45	.45	.89	.55	.00	.00		
	3	Mean	4.80	9.20	11.60	9.00	.40			.00	.
		StDev	.45	1.30	.89	.71	.55			.00	.
	4	Mean						10.20	.00	.00	.
		StDev						.45	.00	.00	.
	5	Mean	5.60	10.60	11.80						
		StDev	.55	1.82	2.68						
	6	Mean				10.80	3.80	9.40	.00		
		StDev				.45	.45	1.95	.00		
Pns	1	Mean	5.00	11.60	12.00	10.40	4.00	9.00	.00	.00	.
		StDev	.00	1.14	.71	.55	.00	1.00	.00	.00	.
	3	Mean	4.00	10.20	11.00	8.40	4.00	8.60	.00	.00	.
		StDev	.00	.45	.00	1.14	.00	.55	.00	.00	.
	4	Mean	6.80	12.00	14.00						
		StDev	2.28	.00	1.22						
	5	Mean	6.40	12.20	14.40	10.60	5.20	11.00	.00	.00	.
		StDev	.55	.45	4.83	.55	.45	1.00	.00	.00	.
	6	Mean	5.00	11.00	11.00	8.00	4.00	10.00	.00	.00	.
		StDev	.00	.00	.00	.00	.00	.00	.00	.00	.
	8	Mean	6.00	12.20	12.00	11.20	8.60	11.00	.00	.00	.
		StDev	.00	.45	.00	.45	.55	.00	.00	.00	.
	9	Mean	9.80	12.40	16.00	11.80	4.00	9.60	.00	.00	.
		StDev	1.10	1.52	.00	.45	.00	1.34	.00	.00	.
	12	Mean	7.20	11.80	11.40	11.00	5.00	11.00	.00	.00	.
		StDev	.45	.45	.55	.00	.00	.00	.00	.00	.
	13	Mean	8.60	11.60	14.40	11.20	5.00	8.20	.00	.00	.
		StDev	.55	.55	.89	1.10	.00	.45	.00	.00	.
	15	Mean	6.20	11.00	12.60	7.60	4.00	9.80	.00	.00	.
		StDev	.45	.00	.55	.55	.00	.45	.00	.00	.
	16	Mean	10.20	11.60	14.80	9.80	4.00	6.20	.00	.00	.
		StDev	.84	.89	.45	.84	.00	.45	.00	.00	.

Codes for Sample Numbers: * means Lab differences. ⊠ means Tube differences

TABLE 2

PWMA values for AL

Tube No	Stat	Correlation Sample Number * 1 Ø	* 2	* 3 Ø	* 4 Ø	5 Ø	6 Ø	* 7 Ø	* 8 Ø	* 9 Ø
1	Mean	22.00	11.80	10.00	14.80	1.00	16.00	13.60	32.60	18.40
	StDev	7.91	6.18	9.77	2.59	.00	11.27	3.44	4.28	2.30
2	Mean	14.80	5.20	3.80	2.40	1.00	6.60	13.40	20.20	16.60
	StDev	3.77	.45	.45	.55	.00	2.07	3.65	5.81	10.31
3	Mean	8.40	3.20	5.80	4.80	2.60	9.40	24.20	36.60	14.00
	StDev	1.52	1.10	1.64	.45	.55	2.19	15.29	2.70	2.45
4	Mean	9.00	5.00	6.40	5.00	4.40	10.60	10.80	26.60	15.20
	StDev	1.73	.71	2.07	.71	.89	5.32	1.48	5.37	7.40
5	Mean	9.60	5.00	6.40	7.00	4.80	7.20	10.60		
	StDev	1.67	.71	1.52	1.22	1.10	.45	1.14		
7	Mean	14.80	4.20	5.00	4.20	3.20	12.40	10.00	26.20	10.40
	StDev	8.90	1.64	.71	.84	.84	9.37	1.22	9.96	.55
1	Mean	18.60	7.20	11.00	11.20	5.00	10.80	22.20		
	StDev	4.39	1.30	1.22	1.30	1.00	2.59	1.10		
2	Mean	11.20	7.20	8.40	15.60	7.20	13.00			
	StDev	.84	.84	.55	2.30	1.30	8.40			
3	Mean	14.40	6.40	11.60	8.80	6.20				
	StDev	2.07	1.82	3.13	2.17	1.30				
4	Mean						17.00	21.40		
	StDev						1.87	.89		
5	Mean	21.20	12.60	6.20	12.80	4.80	6.00	21.80	33.80	13.20
	StDev	3.03	11.97	.84	4.27	.84	.00	2.17	.84	4.38
6	Mean	14.20	6.40	7.20	9.80	2.80	11.60	16.00	21.40	11.80
	StDev	7.22	1.14	.45	1.30	.45	1.52	.71	3.05	.84
7	Mean	23.40	4.20	14.40	14.20	1.80	8.40	26.60	21.80	17.00
	StDev	6.54	.84	3.21	.84	.45	6.07	3.58	1.30	2.92
2	Mean	23.40	11.40	14.60	14.80	1.40	15.00	28.60		
	StDev	5.77	11.24	1.95	1.10	.55	1.00	1.52		
3	Mean	16.80	11.00	9.00	13.60	10.20			16.20	12.40
	StDev	1.48	1.00	1.22	3.21	12.76			1.92	4.34
4	Mean						8.00	22.00	17.00	11.40
	StDev						4.24	4.06	4.69	2.30
5	Mean	15.80	14.40	13.60						
	StDev	1.10	6.11	1.14						
6	Mean				11.20	3.40	10.20	27.40		
	StDev				5.76	1.14	6.30	2.30		
1	Mean	9.80	7.20	6.60	9.20	5.40	16.40	27.40	23.20	18.00
	StDev	2.17	2.17	1.34	1.79	1.14	8.17	3.58	4.55	5.52
3	Mean	9.80	8.60	8.00	10.00	4.60	12.40	16.60	36.20	27.00
	StDev	3.90	3.78	3.74	2.92	1.34	1.95	1.52	4.32	4.64
4	Mean	12.00	9.80							
	StDev	1.00	1.64							
5	Mean	19.60	6.80	13.40	12.20	4.80	14.20	32.60	23.80	15.40
	StDev	6.80	3.49	5.94	4.15	.84	1.30	3.51	4.66	2.79
6	Mean	8.80	9.60	11.40	9.80	4.00	10.80	32.40	27.80	21.40
	StDev	3.83	1.34	1.52	1.92	.71	.84	.89	2.68	4.39
8	Mean	14.00	8.60	10.00	11.00	4.60	8.00	23.00	16.80	14.00
	StDev	2.12	.55	.71	.71	.55	1.41	5.96	2.59	.71
9	Mean	19.80	8.80	7.80	9.60	4.00	13.40	26.40	19.40	20.80
	StDev	7.43	1.10	.45	.89	.00	1.34	2.70	5.22	3.03
12	Mean	14.00	13.00	13.80	11.60	2.20	9.40	20.40	22.20	22.20
	StDev	8.28	4.47	4.49	2.70	.45	1.34	2.61	6.87	6.69
13	Mean	10.20	8.00	9.20	12.20	4.20	13.80	24.40	23.20	19.40
	StDev	.84	1.87	1.30	11.67	.45	4.15	7.60	8.61	3.91
15	Mean	8.60	8.40	9.00	7.60	3.80	14.20	22.20	27.00	23.40
	StDev	1.82	1.95	.71	1.52	.45	2.17	6.18	4.85	5.72
16	Mean	12.80	9.60	8.20	11.20	4.80	16.80	26.40	16.80	15.90
	StDev	1.30	.55	.84	.45	.84	1.92	1.52	2.49	3.35

odes by Sample Numbers: * means Lab differences, Ø means Tube differences

TABLE 3

PWMA values for CU

Lab	Tube No	Stat	Correlation Sample Number * 1 @	* 2 @	* 3 @	* 4 @	5	* 6 @	* 7 @	* 8 @	* 9
Elm	1	Mean	35.40	11.00	53.00	9.20	4.80	10.80	13.80	39.80	39.
		StDev	3.71	.71	1.22	.84	.45	2.17	2.77	2.49	1.
	2	Mean	27.80	9.40	40.60	3.40	13.40	8.80	27.60	18.20	21.
		StDev	1.64	.55	.55	.55	25.49	.84	3.29	2.59	.
	3	Mean	15.80	5.40	34.00	4.00	3.20	11.80	42.20	23.60	22.
		StDev	3.11	.55	8.34	1.41	.84	.45	23.34	11.57	1.
	4	Mean		5.00	28.00	5.20	4.20	9.40	31.60	19.00	20.
		StDev		1.00	10.30	1.10	.45	2.30	4.04	2.35	3.
	5	Mean	19.00	8.00	30.80	6.20	4.20	11.00	30.00		73.
		StDev	1.00	.71	2.59	.84	.45	1.41	3.74		2.
	7	Mean	19.00	5.00	27.80	4.80	3.80	10.00	26.20	21.20	24.
		StDev	4.74	1.00	3.35	.84	.45	4.53	9.42	2.49	6.
Lan	1	Mean	29.00	10.80	40.00	10.60	5.00	12.40	41.60		
		StDev	3.39	.84	1.00	.55	.00	.55	1.52		
	2	Mean	27.40	9.80	41.40	8.40	3.80	11.20			
		StDev	2.19	.45	.89	.55	.45	.84			
	3	Mean	40.80	10.00	52.20	7.80	3.60				
		StDev	1.79	.00	5.63	.84	.55				
	4	Mean						16.60	42.80		
		StDev						.55	.45		
	5	Mean	28.80	11.00	42.40	9.20	4.20	10.00	33.80	21.60	20.
		StDev	1.10	.71	2.97	.45	.45	.71	5.36	1.14	.
	6	Mean	27.40	9.80	32.80	7.60	3.00	13.00	46.60	21.60	17.
		StDev	1.34	.45	1.30	.89	.00	1.22	8.62	6.39	.
	7	Mean	29.00	10.00	33.80	9.00	3.80	11.00	45.00	18.00	16.
		StDev	5.61	.00	7.56	.71	.45	1.41	1.87	1.87	.
MvB	2	Mean	30.80	9.40	35.60	8.80	3.20	12.60	40.20		
		StDev	1.92	.89	2.97	.84	.45	.55	2.17		
	3	Mean	29.00	9.60	44.40	8.20	2.60			22.00	33.
		StDev	5.34	.89	2.07	.84	.55			1.22	1.
	4	Mean						11.00	41.00	21.80	27.
		StDev						.71	3.74	.84	1.
	5	Mean	28.20	10.00	33.40						
		StDev	1.64	2.83	8.08						
	6	Mean				8.60	4.00	11.40	43.00		
		StDev				.55	.00	.55	1.41		
Pns	1	Mean	35.20	10.60	46.00	10.60	4.40	11.40	44.20	33.60	32.
		StDev	.84	.89	1.22	1.34	.55	1.34	.84	4.39	3.
	3	Mean	22.80	9.60	37.40	9.60	4.00	11.40	41.80	40.40	40.
		StDev	1.10	.55	.55	.89	.00	1.14	.84	1.14	2.
	4	Mean	31.80	10.00	60.80						
		StDev	4.92	.00	17.77						
	5	Mean	29.00	10.40	44.40	9.60	5.00	11.60	41.40	37.00	35.
		StDev	1.22	.55	5.37	.55	.00	.55	1.14	1.00	1.
	6	Mean	26.40	9.60	36.80	8.20	4.00	11.20	41.00	39.40	33.
		StDev	.89	.55	1.30	.45	.00	.45	.00	3.05	5.
	8	Mean	27.40	9.60	40.80	9.40	5.00	12.00	47.40	28.40	29.
		StDev	.55	.55	.45	.55	.00	.71	4.28	1.14	.
	9	Mean	37.80	9.80	51.40	10.40	4.20	11.00	48.00	27.00	27.
		StDev	5.26	1.30	.89	.55	.45	1.22	1.00	2.92	1.
	12	Mean	32.40	10.00	39.60	9.60	4.80	12.40	43.00	37.60	40.
		StDev	2.07	.71	.55	.55	.84	.89	.00	4.77	2.
	13	Mean	39.80	9.20	51.80	12.40	4.80	12.40	49.80	29.80	28.
		StDev	3.27	.45	3.96	6.02	.45	.55	4.21	5.72	1.
	15	Mean	28.20	9.40	49.80	7.40	3.60	10.60	41.80	49.80	49.
		StDev	.45	.55	1.30	.55	.55	.55	3.35	2.77	1.
	16	Mean	39.60	10.60	51.00	8.60	4.60	10.00	39.40	32.80	32.
		StDev	1.52	.89	.71	.89	.55	.00	2.97	.84	.

Codes by Sample Numbers: * means Lab differences. @ means Tube differences

TABLE 5

FWMA values for CR

Tube No	Stat	Correlation Sample Number * 1 @	* 2 @	* 3 @	* 4 @	* 5 @	* 6 @	* 7 @	* 8 @	* 9 @
1	Mean	6.80	7.20	1.60	8.80	9.80	5.00	1.00	1.20	1.00
	StDev	1.92	.84	.55	.84	1.10	1.22	.00	.45	.00
2	Mean	8.00	9.00	2.00	3.20	5.00	3.60	1.20	1.00	1.00
	StDev	1.22	1.00	.00	.84	.71	.55	.45	.00	.00
3	Mean	3.80	5.20	1.00	4.20	9.60	4.80	1.60	1.00	1.00
	StDev	.45	.84	.00	.84	.55	.45	.55	.00	.00
4	Mean	4.40	4.20	1.20	4.80	10.40	3.80	1.40	1.00	1.00
	StDev	.89	.45	.45	.84	.55	.84	.55	.00	.00
5	Mean	4.80	5.80	1.00	4.20	8.20	4.20	2.00	1.20	3.00
	StDev	.45	.84	.00	.45	.45	.45	.00	1.30	.00
7	Mean	5.00	4.60	1.00	4.40	9.40	3.20	1.40	1.20	1.20
	StDev	1.22	.55	.00	.89	.89	.45	.55	.45	.45
1	Mean	9.20	10.60	2.00	10.80	11.60	5.00	2.00		
	StDev	1.10	.55	.00	.45	.55	.00	.00		
2	Mean	7.00	7.40	2.00	8.60	10.40	4.60			
	StDev	1.00	.55	.00	.55	.55	.55			
3	Mean	7.20	9.60	2.00	9.00	11.00				
	StDev	.45	.55	.00	1.22	.00				
4	Mean						6.00	3.80		
	StDev						.00	.45		
5	Mean	7.80	8.40	2.00	9.80	9.60	4.00	2.00	2.00	1.00
	StDev	.45	1.14	.00	.45	.55	.00	.00	.00	.00
6	Mean	6.20	7.40	1.00	9.00	9.60	5.00	2.00	.40	.00
	StDev	.45	1.14	.00	.00	1.52	.00	.00	.55	.00
7	Mean	6.00	7.40	1.00	9.40	9.60	5.20	2.00	.00	.00
	StDev	2.92	1.14	.00	.55	.55	.45	.00	.00	.00
2	Mean	8.00	8.00	1.00	10.40	10.80	5.00	2.00		
	StDev	.71	2.00	.00	.55	.45	.00	.00		
3	Mean	7.00	8.00	1.00	10.60	10.80			.00	1.00
	StDev	1.00	.71	.00	.55	.84			.00	.00
4	Mean						5.00	2.40	.20	.20
	StDev						.71	.55	.45	.45
5	Mean	6.80	8.00	1.00						
	StDev	.45	.71	.00						
6	Mean				8.80	11.20	5.00	2.00		
	StDev				1.48	.84	.00	.00		
1	Mean	6.20	8.20	2.00	11.00	11.60	5.60	2.40	1.00	1.00
	StDev	.84	1.48	.00	.71	.55	.55	.55	.00	.00
3	Mean	6.80	8.20	2.00	11.20	11.00	5.00	2.20	2.00	2.00
	StDev	.45	.45	.00	.45	.00	.00	.45	.00	.00
4	Mean	7.40	9.40	3.00						
	StDev	.55	.89	1.00						
5	Mean	8.00	8.00	2.20	10.20	10.20	5.00	2.00	1.60	1.00
	StDev	.71	1.22	.45	.84	.45	.00	.00	.55	.00
6	Mean	7.00	8.60	2.00	10.00	10.20	5.00	2.40	2.00	1.40
	StDev	.00	1.67	.00	.00	.45	.00	.55	.00	.55
8	Mean	7.00	9.00	2.00	10.20	10.20	5.00	2.00	1.60	1.00
	StDev	1.00	.71	.00	.45	.84	.00	.00	.55	.00
9	Mean	8.00	8.80	2.40	11.20	11.00	5.00	3.00	2.00	1.40
	StDev	1.00	.84	.89	.84	.71	.00	.00	.00	.55
12	Mean	8.20	8.80	2.20	9.80	10.00	4.80	2.40	1.80	1.00
	StDev	.84	.84	.45	.45	.00	.45	.55	.45	.00
13	Mean	7.80	9.00	2.00	10.40	10.20	5.00	2.80	2.00	1.60
	StDev	.84	1.00	.00	.89	1.30	.00	.45	.00	.89
15	Mean	8.20	9.00	2.00	9.40	10.00	4.80	2.20	2.00	1.00
	StDev	.45	.00	.00	.55	.00	.45	.45	.00	.00
16	Mean	7.40	8.60	2.00	9.80	9.80	5.00	2.40	2.00	1.60
	StDev	.55	.55	.00	.45	.45	.00	.55	.00	.55

oes ov Sample Numbers: * means Lab differences. @ means Tube differences

TABLE 4

PWMA values for MG

Lab	Tube No	Stat	Correlation Sample Number * 1 ⊠	* 2 ⊠	* 3 ⊠	* 4 ⊠	* 5 ⊠	* 6 ⊠	* 7 ⊠	* 8 ⊠	* 9
Elm	1	Mean	4.00	8.00	29.60	5.00	28.40	1.20	3.20	21.80	27.
		StDev	1.22	1.41	1.52	.71	.55	.45	.45	3.90	.
	2	Mean	2.40	6.00	28.60	1.80	12.00	1.00	7.60	26.40	26.
		StDev	.55	.00	.55	.45	2.12	.00	1.95	.89	.
	3	Mean	2.80	4.60	21.60	2.80	22.20	1.00	6.80	7.60	22.
		StDev	.45	.55	5.41	.45	2.77	.00	1.64	.55	2.
	4	Mean	3.60	5.40	20.60	3.80	27.60	1.20	8.00	25.60	24.
		StDev	.89	.55	6.39	.84	.89	.45	.71	.89	.
	5	Mean	4.40	6.20	20.40	4.00	17.00	1.40	7.00	28.80	31.
		StDev	.55	.45	3.65	.00	2.35	.55	.00	6.83	2.
	7	Mean	4.40	5.40	22.20	3.60	26.80	1.20	8.20	27.60	30.
		StDev	1.14	.89	3.56	.89	1.30	.45	1.10	.89	1.
Lan	1	Mean	3.80	13.00	30.40	8.60	29.40	1.80	11.80		
		StDev	.84	1.41	.89	.89	.55	.45	.45		
	2	Mean	3.60	10.00	28.00	7.40	27.00	2.80			
		StDev	.55	1.00	.71	.55	.71	2.39			
	3	Mean	5.00	10.60	27.20	5.80	26.00				
		StDev	.00	1.14	.45	1.30	.71				
	4	Mean						1.20	7.20		
		StDev						.45	.45		
	5	Mean	3.20	9.00	27.80	8.20	28.00	1.00	11.80	23.80	28.
		StDev	.45	.00	.45	.45	1.00	.00	.84	.84	.
	6	Mean	4.00	9.60	27.20	7.40	26.40	1.40	10.80	24.20	26.
		StDev	1.41	.55	.45	1.14	.55	.55	1.92	2.17	.
	7	Mean	4.60	8.40	27.80	8.20	26.60	1.00	13.80	25.80	27.
		StDev	1.52	1.14	.45	.45	.55	.00	1.10	.45	.
MvB	2	Mean	8.40	10.00	29.80	8.20	28.20	1.00	7.40		
		StDev	1.67	4.30	.84	2.05	.84	.00	.89		
	3	Mean	4.00	10.60	28.40	5.60	27.20			28.20	28.
		StDev	1.41	3.13	.55	.89	2.17			.45	1.
	4	Mean						1.00	10.80	29.00	31.
		StDev						.00	7.53	.71	1.
	5	Mean	4.00	15.00	29.40						
		StDev	1.73	8.15	1.34						
	6	Mean				4.60	29.00	1.20	14.40		
		StDev				.89	1.58	.45	7.27		
Pns	1	Mean	5.40	13.60	25.40	10.60	23.20	2.00	16.60	25.60	27.
		StDev	.55	1.14	.55	3.13	1.30	.00	.55	.55	.
	3	Mean	4.20	16.20	27.00	14.60	22.40	2.00	16.40	26.40	26.
		StDev	.45	2.68	.00	3.71	1.52	.00	.55	.55	.
	4	Mean	7.20	17.40	39.20						
		StDev	.45	1.34	10.80						
	5	Mean	6.80	16.20	31.40	13.40	26.00	2.00	17.60	26.20	28.
		StDev	1.30	1.64	5.98	2.97	.71	.00	.55	1.10	.
	6	Mean	4.80	14.00	27.20	10.00	25.40	1.80	13.80	17.60	24.
		StDev	.45	1.41	.45	.00	.89	.45	.84	1.52	1.
	8	Mean	6.00	11.80	27.20	11.80	26.80	1.00	17.60	24.00	26.
		StDev	.00	1.10	.45	1.64	.45	.00	1.82	.00	.
	9	Mean	5.60	14.00	27.60	10.80	26.00	1.80	18.60	26.00	29.
		StDev	1.52	.00	.89	1.10	.00	.45	2.61	.71	.
	12	Mean	6.00	12.80	27.00	10.60	27.80	2.00	16.80	26.60	29.
		StDev	.71	1.30	.00	.55	.45	.00	1.10	1.14	.
	13	Mean	6.80	13.40	26.40	14.00	26.60	1.80	17.20	25.40	27.
		StDev	.45	.55	.55	8.43	.55	.45	3.27	1.52	.
	15	Mean	5.00	13.40	27.00	10.60	24.20	1.20	15.00	26.80	28.
		StDev	.00	.55	.00	.55	1.48	.45	1.41	.84	.
	16	Mean	5.20	12.00	26.60	10.20	26.60	1.00	15.80	16.00	20.
		StDev	.45	1.00	.55	1.64	.55	.00	.84	1.87	1.

Codes by Sample Numbers: * means Lab differences, ⊠ means Tube differences

TABLE 6

PWMA values for NI

Tube No	Stat	Correlation Sample Number * 1 Ø	* 2 Ø	* 3 Ø	* 4 Ø	* 5 Ø	* 6 Ø	* 7 Ø	* 8 Ø	* 9 Ø
1	Mean	6.80	12.20	29.40	9.20	4.40	15.60	7.20	5.20	12.00
	StDev	.45	.45	1.34	.45	.55	2.30	.84	.45	.00
2	Mean	8.00	11.80	32.20	3.60	2.00	11.60	9.40	3.00	7.00
	StDev	.00	.45	.45	.55	.00	.55	.89	.00	.00
3	Mean	3.80	6.40	22.80	4.20	3.00	14.00	11.00	6.00	9.80
	StDev	.45	.55	5.36	.84	.00	.71	3.67	.00	.45
4	Mean	5.20	6.80	20.20	6.20	4.00	13.00	9.80	3.00	6.40
	StDev	.84	.84	6.42	.84	.00	2.35	.84	.71	.55
5	Mean	5.20	8.40	20.00	5.40	3.00	12.80	11.00	6.20	19.00
	StDev	.45	.89	1.87	.55	.00	1.30	1.00	2.68	.71
7	Mean	5.80	7.20	19.80	5.80	3.80	10.60	9.00	4.00	8.00
	StDev	.84	1.10	1.64	.84	.45	1.14	1.58	.71	1.22
1	Mean	8.00	12.20	36.00	9.40	4.00	14.40	15.80		
	StDev	.00	.45	.00	.55	.00	.55	.45		
2	Mean	8.00	13.00	33.40	9.40	4.00	14.00			
	StDev	.00	2.24	.55	.55	.00	.00			
3	Mean	7.00	11.80	30.40	9.20	4.00				
	StDev	.00	.45	1.14	.45	.00				
4	Mean						16.00	17.00		
	StDev						.71	.71		
5	Mean	8.00	12.40	33.00	10.00	4.00	14.00	15.80	5.00	9.00
	StDev	.00	.55	1.22	.00	.00	.00	.45	.00	.00
6	Mean	7.60	11.60	33.40	8.00	3.00	14.20	16.00	5.40	9.00
	StDev	.55	.55	.89	.71	.00	.45	.71	.55	.00
7	Mean	6.80	12.20	31.60	8.20	3.00	14.60	14.80	4.40	8.00
	StDev	.45	.45	3.78	.45	.00	.55	.45	.55	.00
2	Mean	7.20	11.80	31.20	9.20	3.00	14.20	14.80		
	StDev	.45	1.30	1.48	.84	.00	.45	1.30		
3	Mean	7.80	11.20	31.40	8.80	3.00			5.20	12.00
	StDev	.45	.45	.55	.45	.00			.45	.00
4	Mean						14.80	15.00	5.00	10.00
	StDev						.45	.71	.00	.00
5	Mean	7.20	11.80	32.40						
	StDev	.45	1.30	1.14						
6	Mean				9.20	3.80	16.00	14.80		
	StDev				.84	.45	.71	.84		
1	Mean	7.00	12.00	29.80	8.20	4.00	16.40	15.00	5.80	11.60
	StDev	.00	.00	2.28	.45	.00	.89	.00	.45	.55
3	Mean	8.60	13.00	32.20	10.20	4.80	14.80	16.00	6.20	11.40
	StDev	.55	.00	.45	.45	.45	.45	.00	.45	.89
4	Mean	7.40	13.00	33.80						
	StDev	.55	.00	2.28						
5	Mean	8.00	12.00	34.40	9.00	4.00	15.40	15.40	5.20	10.80
	StDev	.00	.00	4.83	.00	.00	.55	.55	.45	.45
6	Mean	8.00	12.00	32.00	9.00	4.00	15.00	15.60	6.00	11.70
	StDev	.00	.00	.00	.00	.00	.00	.55	.00	.45
8	Mean	8.00	12.60	32.00	9.80	4.00	16.40	15.80	6.20	12.80
	StDev	.00	.55	.00	.45	.00	.55	1.30	.45	.45
9	Mean	7.40	12.20	30.60	9.00	4.00	14.40	14.80	5.20	10.40
	StDev	.55	.45	.55	.00	.00	.55	.84	.45	.55
12	Mean	8.00	12.80	32.20	9.60	4.00	14.00	15.40	5.60	10.60
	StDev	.00	.45	.45	.55	.00	.00	.55	.55	.55
13	Mean	8.00	12.00	28.80	9.40	4.00	15.00	14.60	6.20	11.00
	StDev	.00	.00	3.49	.55	.00	.00	.89	.45	.00
15	Mean	8.00	12.00	31.00	9.00	4.00	13.80	14.60	6.80	11.80
	StDev	.00	.00	.00	.00	.00	.45	.89	.84	.45
16	Mean	8.00	12.00	30.80	9.20	4.00	15.20	16.20	8.20	11.80
	StDev	.00	.00	.45	.45	.00	.45	.45	2.95	.84

des by Sample Numbers: * means Lab differences, Ø means Tube differences

TABLE 7

PWMA values for SI

Lab	Tube No	Stat	Correlation Sample Number 1	2	* 3 @	4	5	6	* 7 @	* 8 @	* 9
Elm	1	Mean	.80	.60	9.00	1.80	.60	3.60	5.00	7.00	6.
		StDev	.45	.55	1.58	.45	.55	3.21	.71	1.00	.
	2	Mean	1.20	1.00	8.20	1.40	.20	.40	10.00	2.40	3.
		StDev	.45	.00	.45	.55	.45	.55	3.54	2.07	1.
	3	Mean	.80	.40	4.20	1.40	.40	.60	20.00	8.00	6.
		StDev	.84	.55	1.30	.89	.55	.55	11.81	2.55	.
	4	Mean	1.60	.80	4.40	1.20	.60	1.80	13.60	5.80	6.
		StDev	1.14	.45	1.67	.45	.55	.84	3.29	.84	1.
	5	Mean	1.00	.80	4.40	1.80	1.60	5.00	14.20		25.
		StDev	.00	.84	.55	.45	1.14	8.94	2.28		1.
	7	Mean	1.80	3.00	5.80	2.00	1.60	11.40	14.40		12.
		StDev	1.30	3.39	.84	.71	1.95	13.54	6.19		2.
Lan	1	Mean	.80	.20	9.20	1.00	.60	1.80	20.00		
		StDev	.45	.45	1.48	.00	.55	1.30	.00		
	2	Mean	1.00	3.40	7.80	2.40	1.00	.00			
		StDev	.00	3.78	.84	.55	.00	.00			
	3	Mean	6.40	.80	11.40	5.00	4.20				
		StDev	9.84	.84	1.67	6.16	5.07				
	4	Mean						1.60	24.60		
		StDev						.55	1.14		
	5	Mean	1.00	1.00	9.00	5.60	1.60	1.00	14.20	5.00	7.
		StDev	.00	.00	1.22	5.81	1.95	.71	6.26	1.73	4.
	6	Mean	2.00	.40	7.60	1.40	.20			5.00	5.
		StDev	2.24	.55	4.72	.55	.45			1.22	.
	7	Mean	1.40	4.40	8.60	2.60	.00	.60	23.40	5.60	5.
		StDev	1.52	9.84	3.44	1.95	.00	1.34	3.78	1.52	.
MvB	2	Mean	2.60	.20	4.40	2.40	.20	1.20	20.40		
		StDev	3.05	.45	1.14	.55	.45	.45	2.88		
	3	Mean	2.40	1.00	8.60	2.20	8.60			5.40	4.
		StDev	3.13	.71	.89	.45	16.99			.55	.
	4	Mean						1.40	19.40	7.20	6.
		StDev						.55	5.27	1.10	.
	5	Mean	1.00	.60	5.00						
		StDev	.00	1.34	1.00						
	6	Mean				2.60	.80	2.80	18.40		
		StDev				.55	.45	4.60	6.84		
Pns	1	Mean	1.40	.80	13.40	4.20	1.80	.80	27.80	10.00	6.
		StDev	.55	.45	4.93	.84	.45	.45	2.05	8.25	1.
	3	Mean	1.00	.60	11.20	3.40	.80	1.00	12.00	12.20	12.
		StDev	.00	.55	3.27	1.95	.45	.71	1.00	1.92	2.
	4	Mean	1.40	.20							
		StDev	.89	.45							
	5	Mean	1.40	1.20	7.00	2.00	1.20	1.20	18.80	7.60	7.
		StDev	.55	.45	.71	.00	.45	2.17	4.09	.89	.
	6	Mean	.60	.20	7.40	2.00	.40	3.40	12.80	9.40	8.
		StDev	.55	.45	.89	.00	.55	6.50	.45	.55	.
	8	Mean	6.60	.00	5.40	4.80	.60	1.00	26.20	5.60	4.
		StDev	13.65	.00	.55	7.40	.89	.00	4.21	.55	.
	9	Mean		.60	14.00	2.20	.00	1.00	26.80	6.00	6.
		StDev		.55	2.12	.45	.00	.71	1.30	.71	.
	12	Mean	.80	.20	11.80	1.60	.20	.80	20.60	13.20	15.
		StDev	.45	.45	2.39	.55	.45	.45	1.14	4.97	5.
	13	Mean	1.40	2.60	17.40	5.00	.00	2.20	26.00	9.00	7.
		StDev	.89	4.72	5.03	7.84	.00	1.79	3.81	2.83	.
	15	Mean	1.00	.60		1.80	.60	1.00	8.40	8.20	7.
		StDev	.00	.55		.45	.55	.00	.89	1.30	1.
	16	Mean	6.40	.20	16.20	1.60	.40	1.20	14.60	5.80	5.
		StDev	10.99	.45	1.30	.55	.55	.45	5.55	.45	.

Codes by Sample Numbers: * means Lab differences. @ means Tube differences

TABLE 8

PWMA values for TI

Tube No	Stat	Correlation Sample Number * 1 ⊠	* 2 ⊠	* 3 ⊠	* 4 ⊠	* 5 ⊠	* 6 ⊠	* 7 ⊠	* 8 ⊠	* 9 ⊠
1	Mean	6.80	5.20	5.40	9.80	12.00	11.40	9.80	3.60	2.00
	StDev	.45	.45	.55	.84	2.00	3.13	1.10	.89	.00
2	Mean	7.60	5.00	6.40	6.00	7.40	7.00	9.20	2.00	1.00
	StDev	.55	.00	.55	.71	.55	.71	1.10	.00	.00
3	Mean	4.00	2.60	3.40	6.80	11.40	10.00	10.80	3.40	1.00
	StDev	.71	.55	.55	.84	.55	.71	3.56	.55	.00
4	Mean	5.00	2.60	4.00	8.60	12.60	8.60	12.20	2.00	1.00
	StDev	.71	.89	.71	.89	.89	.89	.45	.00	.00
5	Mean	6.00	4.40	4.20	7.00	9.60	8.40	12.20	5.60	1.80
	StDev	1.00	.55	.45	.71	.55	1.34	.45	5.27	1.10
7	Mean	6.60	3.60	4.40	8.80	12.80	7.20	9.80	3.20	1.80
	StDev	.55	.55	.55	1.48	1.48	.45	1.64	.45	.45
1	Mean	7.80	5.20	7.60	11.60	13.80	9.40	15.40		
	StDev	.84	.45	.55	1.14	1.10	.55	.55		
2	Mean	7.20	5.00	6.80	13.40	15.20	8.80			
	StDev	.84	.00	.45	.55	.45	.45			
3	Mean	6.40	4.80	5.80	13.20	15.20				
	StDev	.55	.45	.45	2.17	.84				
4	Mean						9.60	15.80		
	StDev						.55	.45		
5	Mean	7.40	5.00	5.80	13.40	15.00	11.80	18.60	4.40	1.60
	StDev	.55	.00	.45	1.14	1.41	.84	1.95	.55	.89
6	Mean	7.80	5.00	2.80	10.40	11.00	9.40	14.40	2.00	1.00
	StDev	.45	.71	.45	.55	.71	.55	1.95	.71	.00
7	Mean	6.40	4.80	2.00	10.60	11.60	12.20	16.00	1.00	.20
	StDev	.55	.45	.00	.55	.55	1.92	1.58	.00	.45
2	Mean	6.60	4.40	3.20	11.20	13.20	9.20	15.60		
	StDev	.55	1.52	1.64	.84	.84	.45	.89		
3	Mean	6.80	4.60	2.80	11.20	13.40			1.40	1.40
	StDev	.84	.55	.45	4.60	1.82			.55	.55
4	Mean						10.00	16.80	1.20	1.00
	StDev						.00	.84	.45	.00
5	Mean	7.80	7.20	3.40						
	StDev	.84	5.72	.55						
6	Mean				10.40	11.80	9.20	14.40		
	StDev				2.88	1.10	.45	1.14		
1	Mean	5.80	5.20	5.20	9.80	20.60	12.20	16.20	2.80	2.20
	StDev	.45	.45	.45	2.95	1.67	1.30	1.64	.45	.45
3	Mean	7.80	5.80	6.80	12.40	14.80	9.80	16.20	3.20	1.80
	StDev	.45	.45	.45	1.82	1.30	.45	1.30	.45	.45
4	Mean	8.20	7.00	19.60						
	StDev	.45	.00	14.12						
5	Mean	9.20	6.00	7.60	11.00	12.40	11.40	15.20	4.20	2.00
	StDev	.84	.71	.55	.00	.55	.55	4.66	.45	.00
6	Mean	8.20	6.00	7.60	13.20	15.00	10.60	15.40	3.20	1.80
	StDev	.84	.00	.55	.84	1.87	.55	.89	.45	.45
8	Mean	8.80	7.00	7.60	13.00	14.60	11.00	15.40	4.60	2.00
	StDev	.45	.71	.55	1.22	.55	.00	1.82	.55	.00
9	Mean	8.40	6.00	6.40	9.20	13.60	10.40	14.80	3.40	2.00
	StDev	.55	.71	.55	.45	.55	.89	.45	.55	.00
12	Mean	7.60	5.80	6.80	10.60	14.00	8.80	16.20	3.20	1.80
	StDev	.55	.45	.84	.89	1.00	.84	.84	.45	.45
13	Mean	7.60	6.00	6.40	11.40	14.20	10.00	13.00	4.00	2.20
	StDev	.55	.00	2.07	.55	.45	.00	2.00	.00	.45
15	Mean	8.80	6.20	6.40	11.80	14.00	10.40	15.80	3.60	2.00
	StDev	.45	.45	.55	.45	.71	.55	.84	.89	.00
16	Mean	7.40	5.40	5.00	11.20	13.60	11.20	17.60	2.60	1.20
	StDev	.55	.55	.00	.84	.55	.45	1.14	.55	.45

des by Sample Numbers: * means Lab differences. ⊠ means Tube differences

TABLE 9

Analyses of Variance Correlation Sample Data for FWMA
For Element: FE

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	138.62	46.21	60.4*
Tubes/Instrs	22	311.90	14.18	18.5*
Residual	104	79.60	.77	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1917.66	639.22	156.6*
Tubes/Instrs	22	1109.91	50.45	12.4*
Residual	104	424.40	4.08	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	406.76	135.59	38.4*
Tubes/Instrs	22	492.41	22.38	6.3*
Residual	104	366.80	3.53	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	219.16	73.05	63.9*
Tubes/Instrs	21	176.25	8.39	7.3*
Residual	100	114.40	1.14	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	662.14	220.71	34.3*
Tubes/Instrs	21	1364.39	64.97	10.1*
Residual	100	644.00	6.44	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	14.92	4.97	10.8*
Tubes/Instrs	21	123.69	5.89	12.8*
Residual	100	46.00	.46	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	23461.52	7820.51	106.1*
Tubes/Instrs	20	8892.48	444.62	6.0*
Residual	96	7079.20	73.74	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	152.68	50.89	18.8*
Tubes/Instrs	17	220.88	12.99	4.8*
Residual	84	227.20	2.70	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	2171.11	723.70	134.5*
Tubes/Instrs	17	9227.12	542.77	100.9*
Residual	84	452.00	5.38	

Table 10

Analyses of Variance Correlation Sample Data for FWMA
For Element: AG

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	152.94	50.98	98.9*
Tubes/Instrs	22	283.99	12.91	25.0*
Residual	104	53.60	.52	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	130.36	43.45	56.8*
Tubes/Instrs	22	158.27	7.19	9.4*
Residual	104	79.60	.77	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	94.46	31.49	15.0*
Tubes/Instrs	22	318.04	14.46	6.9*
Residual	104	218.40	2.10	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	469.67	156.56	240.1*
Tubes/Instrs	21	425.50	20.26	31.1*
Residual	100	65.20	.65	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	137.65	45.88	254.9*
Tubes/Instrs	21	201.55	9.60	53.3*
Residual	100	18.00	.18	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	28.79	9.60	10.1*
Tubes/Instrs	21	114.78	5.47	5.8*
Residual	100	94.80	.95	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	.05	.02	.5
Tubes/Instrs	20	.72	.04	1.1
Residual	96	3.20	.03	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	.00	.00	1.0
Tubes/Instrs	17	.00	.00	1.0
Residual	84	.00	.00	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	.00	.00	1.0
Tubes/Instrs	17	.00	.00	1.0
Residual	84	.00	.00	

Table 11

Analyses of Variance Correlation Sample Data for PWMA
For Element: AL

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	716.19	238.73	11.4*
Tubes/Instrs	22	2182.31	99.20	4.7*
Residual	104	2180.00	20.96	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	485.14	161.71	9.9*
Tubes/Instrs	22	600.59	27.30	1.7
Residual	104	1694.80	16.30	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	442.89	147.63	17.4*
Tubes/Instrs	21	698.99	33.29	3.9*
Residual	100	848.40	8.48	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	683.21	227.74	21.3*
Tubes/Instrs	21	782.35	37.25	3.5*
Residual	100	1067.20	10.67	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	69.78	23.26	3.3
Tubes/Instrs	21	415.45	19.78	2.8*
Residual	100	714.80	7.15	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	45.45	15.15	.7
Tubes/Instrs	21	1243.07	59.19	2.8*
Residual	100	2126.80	21.27	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	2662.31	887.44	43.4*
Tubes/Instrs	20	2253.79	112.69	5.5*
Residual	96	1961.60	20.43	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1069.23	356.41	14.9*
Tubes/Instrs	16	2801.01	175.06	7.3*
Residual	80	1912.40	23.90	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	877.43	292.48	14.1*
Tubes/Instrs	16	988.76	61.80	3.0*
Residual	80	1663.60	20.79	

Table 12

Analyses of Variance Correlation Sample Data for FWMA
For Element: CR

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	83.83	27.94	27.4*
Tubes/Instrs	22	123.40	5.61	5.5*
Residual	104	106.00	1.02	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	152.30	50.77	54.8*
Tubes/Instrs	22	136.81	6.22	6.7*
Residual	104	96.40	.93	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	23.98	7.99	77.0*
Tubes/Instrs	22	15.69	.71	6.9*
Residual	104	10.80	.10	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	595.23	198.41	384.5*
Tubes/Instrs	21	139.45	6.64	12.9*
Residual	100	51.60	.52	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	72.43	24.14	49.5*
Tubes/Instrs	21	130.48	6.21	12.7*
Residual	100	48.80	.49	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	24.44	8.15	6.7*
Tubes/Instrs	21	43.05	2.05	1.7
Residual	100	121.20	1.21	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	18.42	6.14	44.7*
Tubes/Instrs	20	21.18	1.06	7.7*
Residual	96	13.20	.14	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	30.89	10.30	63.6*
Tubes/Instrs	17	18.50	1.09	6.7*
Residual	84	13.60	.16	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	15.43	5.14	51.4*
Tubes/Instrs	17	26.80	1.58	15.8*
Residual	84	8.40	.10	

Table 13

Analyses of Variance Correlation Sample Data for PWMA
For Element: CU

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1259.86	419.95	49.4*
Tubes/Instrs	21	3595.37	171.21	20.1*
Residual	100	850.00	8.50	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	167.08	55.69	71.3*
Tubes/Instrs	22	183.15	8.32	10.7*
Residual	104	81.20	.78	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	2539.80	846.60	29.7*
Tubes/Instrs	22	6672.50	303.30	10.6*
Residual	104	2968.00	28.54	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	330.01	110.00	53.4*
Tubes/Instrs	21	224.75	10.70	5.2*
Residual	100	206.00	2.06	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	69.76	23.25	.9
Tubes/Instrs	21	398.35	18.97	.7
Residual	100	2618.80	26.19	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	65.40	21.80	8.1*
Tubes/Instrs	21	199.40	9.50	3.5*
Residual	100	269.20	2.69	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	4821.14	1607.05	44.4*
Tubes/Instrs	20	3078.65	153.93	4.3*
Residual	96	3471.20	36.16	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	4314.87	1438.29	92.6*
Tubes/Instrs	16	3703.24	231.45	14.9*
Residual	80	1243.20	15.54	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	3482.35	1160.78	184.4*
Tubes/Instrs	17	13006.99	765.12	121.5*
Residual	84	528.80	6.30	

Table 14

Analyses of Variance Correlation Sample Data for PWMA
For Element: MG

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	114.76	38.25	42.3*
Tubes/Instrs	22	136.81	6.22	6.9*
Residual	104	94.00	.90	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1324.92	441.64	92.8*
Tubes/Instrs	22	334.81	15.22	3.2*
Residual	104	495.20	4.76	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	494.26	164.75	16.6*
Tubes/Instrs	22	1226.36	55.74	5.6*
Residual	104	1032.80	9.93	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1333.83	444.61	90.1*
Tubes/Instrs	21	220.45	10.50	2.1*
Residual	100	493.20	4.93	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	494.89	164.96	103.6*
Tubes/Instrs	21	1279.07	60.91	38.3*
Residual	100	159.20	1.59	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	7.01	2.34	7.0*
Tubes/Instrs	21	20.59	.98	3.0*
Residual	100	33.20	.33	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1490.04	496.68	71.0*
Tubes/Instrs	20	898.55	44.93	6.4*
Residual	96	672.00	7.00	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	242.27	80.76	20.4*
Tubes/Instrs	17	2264.59	133.21	33.6*
Residual	84	333.20	3.97	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	79.33	26.44	17.6*
Tubes/Instrs	17	654.12	38.48	25.6*
Residual	84	126.40	1.50	

Table 15

Analyses of Variance Correlation Sample Data for FWMA
For Element: NI

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	86.50	28.83	187.4*
Tubes/Instrs	22	70.60	3.21	20.9*
Residual	104	16.00	.15	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	269.89	89.96	168.3*
Tubes/Instrs	22	181.71	8.26	15.4*
Residual	104	55.60	.53	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1498.20	499.40	88.4*
Tubes/Instrs	22	957.77	43.53	7.7*
Residual	104	587.60	5.65	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	266.67	88.89	300.3*
Tubes/Instrs	21	125.29	5.97	20.2*
Residual	100	29.60	.30	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	13.39	4.46	123.9*
Tubes/Instrs	21	30.65	1.46	40.5*
Residual	100	3.60	.04	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	88.46	29.49	37.6*
Tubes/Instrs	21	134.93	6.43	8.2*
Residual	100	78.40	.78	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	762.48	254.16	209.6*
Tubes/Instrs	20	73.92	3.70	3.0*
Residual	96	116.40	1.21	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	52.34	17.45	18.2*
Tubes/Instrs	17	88.82	5.22	5.5*
Residual	84	80.40	.96	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	86.44	28.81	106.2*
Tubes/Instrs	17	586.72	34.51	127.2*
Residual	84	22.80	.27	

Table 16

Analyses of Variance Correlation Sample Data for PWMA
For Element: SI

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	20.53	6.84	.4
Tubes/Instrs	21	362.30	17.25	1.0
Residual	100	1749.20	17.49	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	23.96	7.99	1.4
Tubes/Instrs	22	128.24	5.83	1.0
Residual	104	608.80	5.85	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	478.08	159.36	.7
Tubes/Instrs	22	22211.65	1009.62	4.1*
Residual	104	25335.20	243.61	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	38.27	12.76	1.6
Tubes/Instrs	21	175.22	8.34	1.0
Residual	100	803.60	8.04	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	81.52	27.17	2.1
Tubes/Instrs	21	302.83	14.42	1.1
Residual	100	1311.60	13.12	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	146.62	48.87	3.3
Tubes/Instrs	20	476.50	23.83	1.6
Residual	96	1413.20	14.72	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1136.21	378.74	20.9*
Tubes/Instrs	19	3132.44	164.87	9.1*
Residual	92	1666.40	18.11	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1550.80	516.93	2.3
Tubes/Instrs	17	2704.77	159.10	.7
Residual	84	19151.20	227.99	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	281.68	93.89	25.9*
Tubes/Instrs	17	2145.71	126.22	34.9*
Residual	84	304.00	3.62	

Table 17

Analyses of Variance Correlation Sample Data for PWMA
For Element: TI

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	77.00	25.67	63.0*
Tubes/Instrs	22	99.68	4.53	11.1*
Residual	104	42.40	.41	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	91.34	30.45	19.4*
Tubes/Instrs	22	73.59	3.35	2.1*
Residual	104	163.60	1.57	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	371.61	123.87	15.2*
Tubes/Instrs	22	964.49	43.84	5.4*
Residual	104	849.60	8.17	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	327.48	109.16	45.3*
Tubes/Instrs	21	180.52	8.60	3.6*
Residual	100	240.80	2.41	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	265.62	88.54	76.6*
Tubes/Instrs	21	425.61	20.27	17.5*
Residual	100	115.60	1.16	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	53.01	17.67	18.4*
Tubes/Instrs	21	175.12	8.34	8.7*
Residual	100	96.00	.96	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	537.56	179.19	58.0*
Tubes/Instrs	20	156.83	7.84	2.5*
Residual	96	296.40	3.09	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	46.78	15.59	9.9*
Tubes/Instrs	17	92.21	5.42	3.4*
Residual	84	132.40	1.58	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	13.45	4.48	24.1*
Tubes/Instrs	17	14.80	.87	4.7*
Residual	84	15.60	.19	

Table 18

Dash-3 Values for Element FE

ple ber	Stat	Base			
		Elmendorf	Langley	Myrtle Beach	NARF Pensacola
*	Mean	16.17	15.67	14.50	13.50
	StDev	.41	2.07	.58	.85
	Size	6	6	4	10
	Mean	56.17	52.50	49.00	44.40
	StDev	3.25	7.40	.00	9.36
	Size	6	6	4	10
*	Mean	13.83	11.57	8.00	11.00
	StDev	.75	3.55	.00	.82
	Size	6	7	5	10
	Mean	16.17	14.33	16.00	14.86
	StDev	.41	1.63	1.00	1.57
	Size	6	6	3	7
*	Mean	47.83	38.33	46.67	41.43
	StDev	2.23	4.68	.58	3.15
	Size	6	6	3	7
	Mean	7.67	6.00	7.60	6.90
	StDev	.52	1.41	.55	.74
	Size	6	4	5	10
*	Mean	123.83	101.75	124.67	116.20
	StDev	2.14	15.67	5.16	12.13
	Size	6	4	6	10
*	Mean	10.33	4.67	3.00	8.50
	StDev	.52	3.79	.00	1.31
	Size	6	3	3	8
*	Mean	63.17	45.00	44.00	52.00
	StDev	.98	10.82	.00	4.66
	Size	6	3	3	8

by the sample number indicates significant Base difference. α=.01

TABLE 19

Dash-3 Values for Element AG

Sample Number	Stat	Base			
		Elmendorf	Langley	Myrtle Beach	NARF Pensacola
1*	Mean	8.67	9.67	10.00	7.20
	StDev	.52	1.21	.00	.79
	Size	6	6	4	10
2*	Mean	21.83	22.00	21.00	15.80
	StDev	1.60	2.53	.00	3.08
	Size	6	6	4	10
3*	Mean	21.17	24.57	23.00	18.90
	StDev	2.04	5.03	.00	1.52
	Size	6	7	5	10
4*	Mean	14.50	14.83	16.67	12.71
	StDev	.55	1.17	.58	.76
	Size	6	6	3	7
5	Mean	8.83	6.83	9.00	7.29
	StDev	.41	2.64	.00	.76
	Size	6	6	3	7
6*	Mean	17.17	15.50	17.00	14.20
	StDev	.98	1.73	1.00	.92
	Size	6	4	5	10
7*	Mean	.00	1.00	.33	.00
	StDev	.00	.00	.82	.00
	Size	6	4	6	10
8	Mean	.00	1.00	.00	.00
	StDev	.00	.00	.00	.00
	Size	6	3	3	8
9	Mean	.00	1.00	.00	.00
	StDev	.00	.00	.00	.00
	Size	6	3	3	8

* by the sample number indicates significant Base difference. α=.01

TABLE 20

Dash-3 Values for Element AL

		Base			
ple er	Stat	Elmendorf	Langley	Myrtle Beach	NARF Pensacola
	Mean	32.17	27.50	29.75	27.60
	StDev	.75	1.05	.50	3.69
	Size	6	6	4	10
	Mean	14.00	10.00	11.00	12.40
	StDev	.00	.89	.00	3.77
	Size	6	6	4	10
	Mean	14.83	11.57	10.00	10.00
	StDev	.98	2.76	.00	1.49
	Size	6	7	5	10
	Mean	20.67	18.33	16.67	16.71
	StDev	.82	3.72	.58	1.11
	Size	6	6	3	7
	Mean	5.67	3.17	2.00	2.57
	StDev	.52	2.14	.00	1.40
	Size	6	6	3	7
	Mean	21.33	15.25	15.40	16.20
	StDev	.52	4.35	1.14	1.23
	Size	6	4	5	10
	Mean	40.33	32.25	36.50	36.90
	StDev	1.03	7.59	1.38	5.17
	Size	6	4	6	10
	Mean	52.50	43.67	47.00	52.13
	StDev	1.64	14.47	.00	3.18
	Size	6	3	3	8
	Mean	26.83	19.67	21.00	23.88
	StDev	.98	5.51	.00	2.85
	Size	6	3	3	8

by the sample number indicates significant Base difference. α=.01

TABLE 21

Dash-3 Values for Element CR

Sample Number	Stat	Base			
		Elmendorf	Langley	Myrtle Beach	NARF Pensacola
1	Mean	10.33	10.67	10.00	9.90
	StDev	.52	1.21	.00	.32
	Size	6	6	4	10
2*	Mean	11.83	12.83	11.00	12.00
	StDev	.75	.98	.00	.47
	Size	6	6	4	10
3*	Mean	2.17	2.43	1.00	2.40
	StDev	.41	.53	.00	.52
	Size	6	7	5	10
4	Mean	12.83	12.83	11.67	12.57
	StDev	.75	.75	.58	.98
	Size	6	6	3	7
5*	Mean	13.33	12.00	11.67	12.71
	StDev	.52	1.10	.58	.49
	Size	6	6	3	7
6	Mean	6.00	6.25	6.00	6.20
	StDev	.00	.96	1.73	.42
	Size	6	4	5	10
7	Mean	3.00	3.25	3.00	3.50
	StDev	.00	.50	.00	.53
	Size	6	4	6	10
8	Mean	2.00	1.33	1.33	2.13
	StDev	.00	.58	2.31	.35
	Size	6	3	3	8
9*	Mean	2.00	1.33	.00	2.13
	StDev	.00	.58	.00	.35
	Size	6	3	3	8

* by the sample number indicates significant Base difference, α=.01

TABLE 22

Dash-3 Values for Element CU

ple ber	Stat	Base: Elmendorf	Landlev	Myrtle Beach	NARF Pensacola
	Mean	38.83	42.17	39.75	37.80
	StDev	.75	7.73	.50	1.99
	Size	6	6	4	10
	Mean	16.17	17.50	16.00	19.50
	StDev	.98	2.51	.00	11.09
	Size	6	6	4	10
	Mean	64.50	65.29	54.00	63.00
	StDev	1.22	13.09	.00	3.89
	Size	6	7	5	10
	Mean	15.00	14.67	15.00	14.86
	StDev	.89	1.63	.00	1.21
	Size	6	6	3	7
	Mean	10.00	8.83	9.67	9.71
	StDev	.00	.98	.58	.49
	Size	6	6	3	7
	Mean	20.17	19.50	19.60	19.10
	StDev	.41	1.73	.55	.88
	Size	6	4	5	10
	Mean	67.83	65.00	66.67	66.60
	StDev	1.83	6.38	4.27	3.53
	Size	6	4	6	10
	Mean	51.33	40.67	34.00	50.00
	StDev	1.63	6.03	.00	3.38
	Size	6	3	3	8
	Mean	53.17	39.33	36.67	48.50
	StDev	.98	4.51	.58	2.39
	Size	6	3	3	8

by the sample number indicates significant Base difference, α=.01

TABLE 23

Dash-3 Values for Element MG

Sample Number	Stat	Base			
		Elmendorf	Langley	Myrtle Beach	NARF Pensacola
1*	Mean	13.33	13.00	13.00	10.50
	StDev	.52	1.10	.00	.85
	Size	6	6	4	10
2*	Mean	23.67	23.33	23.50	19.80
	StDev	.52	2.58	.58	1.75
	Size	6	6	4	10
3*	Mean	40.33	40.43	40.00	34.30
	StDev	1.21	6.39	.00	2.98
	Size	6	7	5	10
4	Mean	17.83	16.67	18.67	14.86
	StDev	.75	4.68	2.08	1.57
	Size	6	6	3	7
5	Mean	47.33	46.00	48.00	39.86
	StDev	1.37	9.08	.00	4.22
	Size	6	6	3	7
6	Mean	4.17	4.25	3.80	3.50
	StDev	.41	.96	.45	1.08
	Size	6	4	5	10
7	Mean	32.00	25.50	34.00	27.90
	StDev	.89	16.52	2.97	2.73
	Size	6	4	6	10
8	Mean	54.67	34.67	57.33	50.88
	StDev	2.42	35.00	.58	5.30
	Size	6	3	3	8
9	Mean	48.83	50.33	48.33	41.25
	StDev	1.33	13.01	.58	4.98
	Size	6	3	3	8

* by the sample number indicates significant Base difference. α=.01

TABLE 24

Dash-3 Values for Element NI

ple ber	Stat	Base: Elmendorf	Langley	Myrtle Beach	NARF Pensacola
	Mean	11.00	11.17	10.00	10.20
	StDev	.00	2.48	.00	.42
	Size	6	6	4	10
	Mean	18.17	19.33	17.00	16.90
	StDev	.41	3.14	.00	1.52
	Size	6	6	4	10
	Mean	53.00	54.57	48.00	50.40
	StDev	1.10	10.11	.00	2.12
	Size	6	7	5	10
	Mean	13.17	12.50	13.67	12.57
	StDev	.75	1.05	.58	.79
	Size	6	6	3	7
*	Mean	5.83	4.67	5.33	4.86
	StDev	.41	.52	.58	.38
	Size	6	6	3	7
	Mean	24.50	23.25	16.40	22.10
	StDev	.55	1.71	10.41	.88
	Size	6	4	5	10
	Mean	24.50	23.25	24.83	22.90
	StDev	.55	2.63	.75	.99
	Size	6	4	6	10
	Mean	8.67	7.33	7.00	7.88
	StDev	.52	1.15	.00	.83
	Size	6	3	3	8
*	Mean	17.67	14.00	12.00	15.88
	StDev	.82	2.00	.00	.83
	Size	6	3	3	8

by the sample number indicates significant Base difference. α=.01

TABLE 25

Dash-3 Values for Element Si

Sample Number	Stat	Base			
		Elmendorf	Langley	Myrtle Beach	NARF Pensacola
1	Mean	10.50	8.00	8.00	8.90
	StDev	1.64	1.10	.00	3.41
	Size	6	6	4	10
2	Mean	5.17	5.67	4.50	5.40
	StDev	.98	.82	.58	2.80
	Size	6	6	4	10
3	Mean	23.00	22.00	21.80	19.50
	StDev	1.26	3.51	.45	3.14
	Size	6	7	5	10
4*	Mean	18.33	16.00	20.33	15.57
	StDev	1.37	2.28	.58	.98
	Size	6	6	3	7
5	Mean	5.83	3.50	5.67	7.14
	StDev	.75	1.05	.58	11.85
	Size	6	6	3	7
6	Mean	5.67	4.50	5.60	4.40
	StDev	1.51	1.73	.89	3.10
	Size	6	4	5	10
7	Mean	58.50	54.50	64.67	53.70
	StDev	1.52	12.66	3.20	6.34
	Size	6	4	6	10
8	Mean	31.67	27.33	32.33	29.75
	StDev	1.51	7.02	.58	2.76
	Size	6	3	3	8
9	Mean	32.67	29.67	32.00	20.13
	StDev	1.51	5.51	.00	4.52
	Size	6	3	3	8

* by the sample number indicates significant Base difference, α=.01

TABLE 26

Dash-3 Values for Element TI

le er	Stat	Base: Elmendorf	Langley	Myrtle Beach	NARF Pensacola
	Mean	14.17	14.50	13.25	12.40
	StDev	.41	3.02	.50	1.07
	Size	6	6	4	10
	Mean	9.00	9.17	9.00	8.60
	StDev	.63	2.56	.00	2.37
	Size	6	6	4	10
	Mean	10.50	9.00	5.00	8.50
	StDev	.84	3.00	.00	.85
	Size	6	7	5	10
	Mean	17.67	17.50	17.00	15.86
	StDev	.82	2.81	1.00	1.21
	Size	6	6	3	7
	Mean	20.17	18.83	19.67	17.00
	StDev	.98	3.06	.58	1.29
	Size	6	6	3	7
	Mean	16.67	16.25	17.60	15.30
	StDev	.52	2.50	1.82	1.89
	Size	6	4	5	10
	Mean	26.00	26.00	26.00	24.70
	StDev	.63	3.37	.63	2.00
	Size	6	4	6	10
	Mean	6.67	3.00	2.00	6.25
	StDev	.52	2.00	.00	1.58
	Size	6	3	3	8
	Mean	3.83	1.67	2.00	3.38
	StDev	.41	1.53	.00	1.30
	Size	6	3	3	8

by the sample number indicates significant Base difference, α=.01

TABLE 27

Analyses of Variance Correlation Sample Data for Dash-3
For Element: FE

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	32.95	10.98	8.1*
Residual	22	29.67	1.35	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	580.81	193.60	3.8
Residual	22	1114.73	50.67	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	94.17	31.39	8.9*
Residual	24	84.55	3.52	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	12.84	4.28	2.5
Residual	18	31.02	1.72	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	328.41	109.47	10.1*
Residual	18	194.55	10.81	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	8.41	2.80	4.4
Residual	21	13.43	.64	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1557.02	519.01	5.2*
Residual	22	2216.52	100.75	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	140.55	46.85	17.8*
Residual	16	42.00	2.62	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1062.97	354.32	14.5*
Residual	16	390.83	24.43	

Table 28

Analyses of Variance Correlation Sample Data for Dash-3
For Element: AG

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	34.19	11.40	17.6*
Residual	22	14.27	.65	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	215.91	71.97	12.1*
Residual	22	130.43	5.93	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	145.52	48.51	6.0*
Residual	24	193.45	8.06	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	36.34	12.11	17.5*
Residual	18	12.43	.69	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	18.18	6.06	2.8
Residual	18	39.10	2.17	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	44.01	14.67	12.1*
Residual	21	25.43	1.21	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	3.28	1.09	7.2*
Residual	22	3.33	.15	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	2.55	.85	NO
Residual	16	.00	.00	TEST

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	2.55	.85	NO
Residual	16	.00	.00	TEST

Table 29

Analyses of Variance Correlation Sample Data for Dash-3
For Element: AL

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	95.48	31.83	5.3*
Residual	22	131.48	5.98	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	53.60	17.87	.6
Residual	22	696.40	31.65	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	100.31	33.44	11.4*
Residual	24	70.55	2.94	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	59.10	19.70	4.4
Residual	18	80.76	4.49	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	41.62	13.87	7.0*
Residual	18	35.88	1.99	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	143.76	47.92	13.1*
Residual	21	76.88	3.66	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	158.17	52.72	2.7
Residual	22	428.48	19.48	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	220.16	73.39	2.3
Residual	16	503.04	31.44	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	129.83	43.28	5.7*
Residual	16	122.37	7.65	

Table 30

Analyses of Variance Correlation Sample Data for Dash-3
For Element: CR

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	2.47	.82	1.9
Residual	22	9.57	.43	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	8.33	2.78	6.3*
Residual	22	9.67	.44	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	7.73	2.58	12.5*
Residual	24	4.95	.21	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	3.27	1.09	1.6
Residual	18	12.05	.67	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	8.03	2.68	5.1*
Residual	18	9.43	.52	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	.29	.10	.1
Residual	21	16.35	.78	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1.37	.46	3.1
Residual	22	3.25	.15	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	2.34	.78	1.0
Residual	16	12.21	.76	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	11.01	3.67	38.1*
Residual	16	1.54	.10	

Table 31

Analyses of Variance Correlation Sample Data for Dash-3
For Element: CU

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	73.87	24.62	1.6
Residual	22	338.02	15.36	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	58.28	19.43	.4
Residual	22	1142.83	51.95	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	440.79	146.93	3.0
Residual	24	1170.93	48.79	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	.40	.13	.1
Residual	18	26.19	1.46	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	4.53	1.51	3.9
Residual	18	6.93	.38	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	4.31	1.44	1.7
Residual	21	17.93	.85	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	19.32	6.44	.4
Residual	22	342.57	15.57	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	808.80	269.60	26.0*
Residual	16	166.00	10.37	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	741.58	247.19	45.9*
Residual	16	86.17	5.39	

Table 32

Analyses of Variance Correlation Sample Data for Dash-3
For Element: MG

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	42.82	14.27	22.7*
Residual	22	13.83	.63	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	84.58	28.19	9.8*
Residual	22	63.27	2.88	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	230.28	76.76	5.7*
Residual	24	325.15	13.55	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	43.08	14.36	1.9
Residual	18	135.69	7.54	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	248.58	82.86	2.8
Residual	18	528.19	29.34	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	2.48	.83	1.2
Residual	21	14.88	.71	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	244.75	81.58	1.9
Residual	22	933.90	42.45	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	997.41	332.47	2.0
Residual	16	2677.54	167.35	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	301.28	100.43	3.1
Residual	16	521.67	32.60	

Table 33

Analyses of Variance Correlation Sample Data for Dash-3
For Element: NI

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	5.91	1.97	1.3
Residual	22	32.43	1.47	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	25.55	8.52	2.6
Residual	22	71.07	3.23	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	152.74	50.91	1.9
Residual	24	660.11	27.50	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	3.88	1.29	1.8
Residual	18	12.71	.71	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	4.90	1.63	8.0*
Residual	18	3.69	.21	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	198.69	66.23	3.1
Residual	21	450.35	21.45	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	18.63	6.21	4.0
Residual	22	33.98	1.54	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	6.93	2.31	4.2
Residual	16	8.87	.55	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	72.74	24.25	23.9*
Residual	16	16.21	1.01	

Table 34

Analyses of Variance Correlation Sample Data for Dash-3
For Element: SI

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	23.45	7.82	1.4
Residual	22	124.40	5.65	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	3.55	1.18	.3
Residual	22	79.57	3.62	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	54.41	18.14	2.5
Residual	24	171.30	7.14	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	64.10	21.37	9.2*
Residual	18	41.71	2.32	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	43.46	14.49	.3
Residual	18	851.86	47.33	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	9.03	3.01	.6
Residual	21	109.93	5.23	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	494.53	164.84	4.0
Residual	22	905.93	41.18	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	52.38	17.46	1.7
Residual	16	164.17	10.26	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	81.33	27.11	2.0
Residual	16	214.87	13.43	

Table 35

Analyses of Variance Correlation Sample Data for Dash-3
For Element: TI

Correlation Sample 1

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	20.86	6.95	2.7
Residual	22	57.48	2.61	

Correlation Sample 2

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	1.42	.47	.1
Residual	22	85.23	3.87	

Correlation Sample 3

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	86.86	28.95	10.9*
Residual	24	64.00	2.67	

Correlation Sample 4

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	13.26	4.42	1.5
Residual	18	53.69	2.98	

Correlation Sample 5

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	36.03	12.01	3.5
Residual	18	62.33	3.46	

Correlation Sample 6

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	19.18	6.39	2.1
Residual	21	65.38	3.11	

Correlation Sample 7

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	10.40	3.47	1.0
Residual	22	74.10	3.37	

Correlation Sample 8

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	66.92	22.31	13.3*
Residual	16	26.83	1.68	

Correlation Sample 9

Source	DF	Sums of Squares	Mean Squares	F
Instruments	3	13.58	4.53	4.2
Residual	16	17.37	1.09	

Table 36

Verification Sample Data for PWMA
Analyses of Variance

For Element **Fe**

Source	DF	SS	MS	F
Instrument		2220.223	370.037	14.52*
Tubes/Inst		5607.089	112.142	4.40*
Days/Tubes		9143.548	72.568	2.85*
Early-Late		8874.806	60.786	2.38*
Residual		4205.667	25.489	

For Element **Ag**

Source	DF	SS	MS	F
Instrument	6	41.472	6.912	15.24*
Tubes/Inst	50	146.576	2.932	6.46*
Days/Tubes	126	101.310	.804	1.77*
Early-Late	146	96.597	.662	1.46*
Residual	165	74.833	.454	

For Element **Al**

Source	DF	SS	MS	F
Instrument	6	800.830	133.472	11.80*
Tubes/Inst	50	1226.932	24.539	2.17*
Days/Tubes	126	2795.636	22.188	1.96*
Early-Late	146	2176.667	14.909	1.32
Residual	165	1866.000	11.309	

For Element **Cr**

Source	DF	SS	MS	F
Instrument	6	14.163	2.361	9.09*
Tubes/Inst	50	53.855	1.077	4.15*
Days/Tubes	126	112.849	.896	3.45*
Early-Late	146	71.278	.488	1.88*
Residual	165	42.833	.260	

For Element **Cu**

Source	DF	SS	MS	F
Instrument	6	48.728	8.121	2.15
Tubes/Inst	50	1354.869	27.097	7.16*
Days/Tubes	126	1654.450	13.131	3.47*
Early-Late	146	1667.375	11.420	3.02*
Residual	165	624.667	3.786	

For Element **Mg**

Source	DF	SS	MS	F
Instrument	6	1384.444	230.741	76.27*
Tubes/Inst	50	513.515	10.270	3.39*
Days/Tubes	126	1390.036	11.032	3.65*
Early-Late	146	1063.833	7.287	2.41*
Residual	165	499.167	3.025	

Table 37

Verification Sample Data for FWMA
Analyses of Variance

For Element **Ni**

Source	DF	SS	MS	F
Instrument	6	65.918	10.986	11.98*
Tubes/Inst	50	368.164	7.363	8.03*
Days/Tubes	126	532.298	4.225	4.61*
Early-Late	146	503.903	3.451	3.76*
Residual	165	151.333	.917	

For Element **Si**

Source	DF	SS	MS	F
Instrument	6	366.739	61.123	5.17*
Tubes/Inst	50	1923.603	38.472	3.25*
Days/Tubes	126	3548.854	28.166	2.38*
Early-Late	146	2905.486	19.901	1.68*
Residual	165	1951.500	11.827	

For Element **Ti**

Source	DF	SS	MS	F
Instrument	6	55.148	9.191	8.97*
Tubes/Inst	50	236.185	4.724	4.61*
Days/Tubes	126	529.649	4.204	4.10*
Early-Late	146	402.653	2.758	2.69*
Residual	165	169.000	1.024	

Table 37

Table 38 Verification Sample Data for DASH-3
Analyses of Variance

For Element **Fe**

SOURCE	DF	SS	MS	F
Instrument	6	2006.276	334.379	16.30*
Days/Insts	128	7055.687	55.123	2.69*
Residual	68	1394.833	20.512	

For Element **Ag**

SOURCE	DF	SS	MS	F
Instrument	6	101.762	16.960	66.54*
Days/Insts	128	129.479	1.012	3.97*
Residual	68	17.333	.255	

For Element **Al**

SOURCE	DF	SS	MS	F
Instrument	6	532.079	88.680	16.95*
Days/Insts	128	790.073	6.172	1.18
Residual	68	355.667	5.230	

For Element **Cr**

SOURCE	DF	SS	MS	F
Instrument	6	54.457	9.076	4.40*
Days/Insts	128	642.357	5.018	2.43*
Residual	68	140.333	2.064	

For Element **Cu**

SOURCE	DF	SS	MS	F
Instrument	6	155.180	25.863	14.60*
Days/Insts	128	1324.410	10.347	5.84*
Residual	68	120.500	1.772	

For Element **Mg**

SOURCE	DF	SS	MS	F
Instrument	6	233.224	38.871	13.84*
Days/Insts	128	1134.536	8.864	3.16*
Residual	68	191.000	2.809	

For Element **Ni**

SOURCE	DF	SS	MS	F
Instrument	6	21.907	3.651	2.54
Days/Insts	128	523.193	4.087	2.84*
Residual	68	97.833	1.439	

For Element **Si**

SOURCE	DF	SS	MS	F
Instrument	6	432.623	72.104	18.70*
Days/Insts	128	1927.791	15.061	3.91*
Residual	68	262.167	3.855	

For Element **Ti**

SOURCE	DF	SS	MS	F
Instrument	6	284.599	47.433	5.62*
Days/Insts	128	3200.104	25.001	2.96*
Residual	68	573.833	8.439	

Table 39 Correlation Samples Summary
Overall Standard Deviations

El	Inst	Stat	Sample Number 1	2	3	4	5	6	7	8
Fe	Dash-3	Mean	14.8	49.7	11.2	15.2	43.0	7.1	117.7	7.6
		StDev	1.6	8.2	2.6	1.4	5.0	1.0	12.3	3.1
		Size	26	26	28	22	22	25	26	20
	PWMA	Mean	9.6	26.0	7.0	7.3	19.6	4.0	65.3	4.6
		StDev	2.0	5.2	3.1	2.0	4.6	1.2	18.4	2.4
		Size	130	130	130	125	125	125	120	105
Ag	Dash-3	Mean	8.5	19.4	21.5	14.3	7.8	15.7	.2	.2
		StDev	1.4	3.7	3.5	1.5	1.7	1.7	.5	.4
		Size	26	26	28	22	22	25	26	20
	PWMA	Mean	5.6	10.9	12.1	8.6	3.7	9.3	.0	.0
		StDev	2.0	1.7	2.2	2.8	1.7	1.4	.0	.0
		Size	130	130	130	125	125	125	120	105
Al	Dash-3	Mean	29.0	12.0	11.4	18.2	3.5	17.1	36.9	50.2
		StDev	3.0	5.5	2.5	2.6	1.9	3.0	4.8	6.2
		Size	26	26	28	22	22	25	26	20
	PWMA	Mean	14.5	8.2	9.2	10.2	4.1	11.7	21.7	24.4
		StDev	6.3	4.6	4.0	4.5	3.1	5.3	7.6	7.6
		Size	130	130	130	125	125	125	120	105
Cr	Dash-3	Mean	10.2	12.0	2.1	12.6	12.5	6.1	3.2	1.9
		StDev	.7	.8	.7	.9	.9	.8	.4	.9
		Size	26	26	28	22	22	25	26	20
	PWMA	Mean	6.9	7.9	1.7	8.8	10.0	4.8	2.1	1.3
		StDev	1.6	1.7	.6	2.5	1.4	.7	.7	.8
		Size	130	130	130	125	125	125	120	105
Cu	Dash-3	Mean	39.3	17.7	62.3	14.9	9.5	19.5	66.7	46.6
		StDev	4.1	6.9	7.7	1.1	.7	1.0	3.8	7.2
		Size	26	26	28	22	22	25	26	20
	PWMA	Mean	29.5	9.3	41.5	8.3	4.4	11.4	39.3	29.1
		StDev	6.8	1.8	9.7	2.5	5.0	1.9	9.8	9.7
		Size	130	130	130	125	125	125	120	105
Mg	Dash-3	Mean	12.1	22.1	38.1	16.7	44.7	3.8	29.9	50.6
		StDev	1.5	2.4	4.5	2.9	6.1	.9	6.9	13.9
		Size	26	26	28	22	22	25	26	20
	PWMA	Mean	4.8	11.0	27.3	8.1	25.5	1.4	12.3	24.3
		StDev	1.6	4.1	4.6	4.1	3.9	.7	4.9	5.2
		Size	130	130	130	125	125	125	120	105
Ni	Dash-3	Mean	10.6	17.8	51.6	12.9	5.1	21.7	23.8	7.9
		StDev	1.2	2.0	5.5	.9	.6	5.2	1.4	.9
		Size	26	26	28	22	22	25	26	20
	PWMA	Mean	7.3	11.4	30.2	8.3	3.7	14.4	14.0	5.4
		StDev	1.2	2.0	4.9	1.8	.6	1.6	2.9	1.5
		Size	130	130	130	125	125	125	120	105
Si	Dash-3	Mean	8.9	5.3	21.3	17.1	5.6	5.0	57.5	30.4
		StDev	2.4	1.8	2.9	2.2	6.5	2.2	7.5	3.4
		Size	26	26	28	22	22	25	26	20
	PWMA	Mean	1.9	1.0	8.8	2.5	1.1	2.0	17.9	7.3
		StDev	4.1	2.4	4.2	2.9	3.7	4.1	7.3	3.5
		Size	130	130	130	125	125	125	120	105
Ti	Dash-3	Mean	13.4	8.9	8.4	17.0	18.7	16.2	25.5	5.3
		StDev	1.8	1.9	2.4	1.8	2.2	1.9	1.8	2.2
		Size	26	26	28	22	22	25	26	20
	PWMA	Mean	7.2	5.2	5.9	10.6	13.3	9.9	14.5	3.1
		StDev	1.3	1.6	4.1	2.5	2.6	1.6	2.9	1.6
		Size	130	130	130	125	125	125	120	105


Correlation Samples Fe
Overall Standard Deviations
PWMA values
100
80
60
40
20
0
0
30
60
90
120
150
Dash-3 values


Correlation Samples Ag
Overall Standard Deviations
PWMA values
15
12
9
6
3
0
0
5
10
15
20
25
30
Dash-3 values


Correlation Samples Al
Overall Standard Deviations
PWMA values
40
30
20
10
0
0
10
20
30
40
50
60
Dash-3 values

Figure 1


Correlation Samples Cr
Overall Standard Deviations
PEMA values
0
2
4
6
8
10
12
0
3
6
9
12
15
Dash-3 values


Correlation Samples Cu
Overall Standard Deviations
PEMA values
0
10
20
30
40
50
60
0
20
40
60
80
Dash-3 values


Correlation Samples Mg
Overall Standard Deviations
PEMA values
0
10
20
30
40
0
20
40
60
80
Dash-3 values

Figure 2


Correlation Samples Ni
Overall Standard Deviations
PME values
0
10
20
30
40
0
10
20
30
40
50
60
Dash-3 values


Correlation Samples Si
Overall Standard Deviations
PME values
0
5
10
15
20
25
30
0
20
40
60
80
Dash-3 values


Correlation Samples Ti
Overall Standard Deviations
PME values
0
3
6
9
12
15
18
0
5
10
15
20
25
30
Dash-3 values

Figure 3

Figure 4 Correlation Samples



Figure 5 Correlation Samples



Figure 6 Correlation Samples



Table 40 Used Oil Samples Summary
First Ten Samples

		Element								
Inst	Stat	Fe	Ag	Al	Cr	Cu	Mg	Ni	Si	Ti
FWMA	Mean	13.0	.6	5.4	1.0	16.4	3.0	4.6	1.6	1.8
	StDev	1.4	.5	.5	.0	1.1	.0	.5	.5	1.1
Dash-3	Mean	9.6	1.0	4.0	1.8	18.2	2.0	3.6	2.8	.0
	StDev	.5	.0	.7	.4	.4	.0	.5	.8	.0
FWMA	Mean	19.6	.0	6.4	4.8	4.2	1.6	.6	1.2	.4
	StDev	.5	.0	.5	.4	.4	.5	.5	.4	.5
Dash-3	Mean	30.0	.0	9.4	9.6	7.2	4.0	.8	3.8	.0
	StDev	1.9	.0	1.3	.5	.4	.7	.4	.4	.0
FWMA	Mean	18.2	.0	8.8	3.4	6.0	2.4	.2	1.0	.0
	StDev	1.3	.0	.8	.5	.0	.5	.4	.0	.0
Dash-3	Mean	13.6	.0	9.4	3.6	6.0	3.0	.6	4.8	.0
	StDev	.9	.0	.5	.5	.0	.0	.5	.4	.0
FWMA	Mean	12.4	.0	1.0	.0	2.4	2.8	.0	.0	.0
	StDev	.5	.0	.0	.0	.5	.4	.0	.0	.0
Dash-3	Mean	15.4	.0	.0	.4	2.0	3.4	.2	1.8	.0
	StDev	1.7	.0	.0	.5	.0	.5	.4	.4	.0
FWMA	Mean	14.8	.0	3.0	1.0	3.0	4.0	.0	1.5	.2
	StDev	.8	.0	.7	.0	.0	.0	.0	.6	.4
Dash-3	Mean	16.8	.0	.8	.8	2.6	4.6	.0	4.2	.0
	StDev	3.6	.0	.8	.4	.5	.5	.0	2.7	.0
FWMA	Mean	73.4	.0	30.0	1.8	58.2	4.0	1.0	34.8	.6
	StDev	2.6	.0	1.2	.4	1.3	.0	.0	2.9	.5
Dash-3	Mean	89.3	.0	30.0	2.7	100.0	5.0	.7	73.3	.0
	StDev	2.5	.0	1.0	.6	.0	.0	.6	2.5	.0
FWMA	Mean	52.0	.0	19.0	1.0	49.8	3.0	1.0	23.8	.8
	StDev	1.9	.0	2.3	.0	1.1	.0	.0	1.3	.4
Dash-3	Mean	60.6	.0	19.6	2.0	66.0	3.6	.8	48.8	.0
	StDev	4.0	.0	1.1	.0	3.4	.5	.4	4.1	.0
FWMA	Mean	68.8	.0	7.0	1.0	4.4	2.0	.0	.8	.0
	StDev	1.3	.0	.0	.0	.5	.0	.0	.4	.0
Dash-3	Mean	67.4	.0	11.2	1.0	4.4	1.2	.6	4.4	.0
	StDev	1.7	.0	.8	.0	.5	.4	.5	1.1	.0
FWMA	Mean	79.8	.0	6.0	2.0	1.0	6.2	2.0	18.6	.4
	StDev	2.5	.0	.0	.0	.0	.8	.0	3.2	.5
Dash-3	Mean	74.8	.0	2.4	2.2	1.0	9.4	1.6	15.6	.4
	StDev	4.8	.0	1.3	.4	.0	.5	.5	.9	.5
FWMA	Mean	50.0	.0	8.0	3.8	5.8	.6	1.2	1.2	.8
	StDev	2.0	.0	.0	.4	.8	.5	.4	.4	.8
Dash-3	Mean	27.0	.0	7.0	3.2	4.0	1.0	.2	2.4	.0
	StDev	1.4	.0	.7	.4	.0	.0	.4	.5	.0

Table 40 Used Oil Samples Summary
Last Ten Samples

			Element							
No	Inst	Stat	Fe	Ag	Al	Cr	Cu	Mg	Ni	Si
1	PWMA	Mean	70.4	.0	9.2	7.6	7.2	.8	1.0	3.0
		StDev	5.7	.0	.4	.9	.8	.4	.0	1.0
	Dash-3	Mean	44.2	.0	11.2	6.6	4.6	.0	.8	4.8
		StDev	3.7	.0	1.5	.5	.5	.0	.4	.8
2	PWMA	Mean	84.8	.0	17.6	4.8	21.2	8.8	1.6	1.4
		StDev	2.6	.0	8.3	.4	1.1	1.1	.5	.5
	Dash-3	Mean	151.0	.0	31.4	6.2	19.2	11.4	.8	9.6
		StDev	16.6	.0	2.1	.4	1.5	1.1	.8	.9
3	PWMA	Mean	102.4	.0	2.0	2.0	4.4	5.4	1.0	2.2
		StDev	4.6	.0	.0	.0	.5	.5	.0	1.6
	Dash-3	Mean	296.8	1.0	3.4	3.4	5.0	12.2	1.0	6.0
		StDev	30.8	.0	1.1	.5	.0	1.6	1.0	1.0
4	PWMA	Mean	62.8	.0	6.8	9.6	5.4	1.6	1.0	.8
		StDev	7.4	.0	1.1	1.5	.5	.5	.0	.8
	Dash-3	Mean	42.0	.0	9.0	10.8	6.6	.6	.8	4.0
		StDev	3.8	.0	1.0	.4	.5	.5	.8	.7
5	PWMA	Mean	121.6	1.0	2.8	2.0	5.0	6.6	3.0	6.8
		StDev	1.1	.0	.4	.0	1.2	.5	1.2	1.1
	Dash-3	Mean	156.2	1.0	1.8	2.4	5.0	9.0	.0	6.4
		StDev	8.8	.0	1.3	.5	.0	.7	.0	.5
6	PWMA	Mean	116.4	1.0	.6	2.8	1.0	.0	1.2	3.8
		StDev	1.3	.0	1.3	.4	1.0	.0	.4	2.9
	Dash-3	Mean	166.0	1.0	.0	3.8	.2	.0	1.0	.2
		StDev	6.0	.0	.0	.4	.4	.0	.0	.4
7	PWMA	Mean	122.4	1.2	.8	3.0	.6	.0	1.0	2.4
		StDev	3.2	.4	.8	.0	.5	.0	.0	.5
	Dash-3	Mean	153.6	1.0	.0	3.2	.2	.0	.6	27.4
		StDev	9.1	.0	.0	.4	.4	.0	.5	28.3
8	PWMA	Mean	14.6	1.0	6.4	1.6	17.4	3.0	5.2	3.8
		StDev	2.1	.0	1.5	.5	.5	.0	.4	2.5
	Dash-3	Mean	11.8	1.0	7.4	2.0	20.8	3.0	4.6	4.4
		StDev	.4	.0	.9	.0	.4	.0	.5	1.1
9	PWMA	Mean	13.6	.8	7.4	1.4	14.6	2.0	3.0	2.8
		StDev	1.5	.4	.5	.5	1.3	.0	.0	1.3
	Dash-3	Mean	10.2	1.0	7.8	1.6	14.6	2.0	3.0	3.2
		StDev	1.1	.0	.8	.5	1.3	.0	.0	.8
10	PWMA	Mean	53.6	.0	1.0	1.2	1.0	1.6	1.4	2.4
		StDev	3.3	.0	.0	.4	1.2	.5	.5	2.1
	Dash-3	Mean	44.0	.0	.4	.4	.6	.4	.0	9.8
		StDev	3.2	.0	.5	.5	.5	.5	.0	.8


Used Oil Samples Ni
PEMA values
Dash-3 values
0
1
2
3
4
5
6


Used Oil Samples Si
PEMA values
Dash-3 values
0
10
20
30
40
60
80

Figure 9


Used Oil Samples Cu
PEMA values
0
20
40
60
80
0
20
40
60
80
100
Dash-3 values


Used Oil Samples Mg
PEMA values
0
2
4
6
8
10
0
3
6
9
12
15
Dash-3 values

Figure 8


Used Oil Samples Fe
PME values
150
120
90
60
30
0
0
100
200
300
400
Dash-3 values


Used Oil Samples Al
PME values
40
30
20
10
0
0
10
20
30
40
Dash-3 values


Used Oil Samples Cr
PME values
12
10
8
6
4
2
0
0
3
6
9
12
15
Dash-3 values

Figure 7

Figure 10 Used Oil Samples



Figure 11 Used Oil Samples



Figure 12

Exponential model: Y = exp(a+bX) of FEPPM on FEABS

Parameter	Estimate	Standard Error	T Value	Prob. Level
Intercept	2.12713	0.0686235	30.9971	0
Slope	0.0172425	7.02548E-4	24.5428	0

Analysis of Variance

Source	Sum of Squares	Df	Mean Square	F-Ratio
Model	17.20077	1	17.20077	602.34855
Error	.856685	30	.028556	
Total (Corr.)	18.057451	31		

Correlation Coefficient = **0.975991**
Stnd. Error of Est. = 0.168986

Do you want to plot the fitted line? (Y/N):

1HELP 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10
PRINT THR OCT 17 1985 09:48:00 AM VERSION 1.1 APL REC



Figure 13

ential model: Y = exp(a+bX) of AGPPM on AGABS

eter	Estimate	Standard Error	T Value	Prob. Level
cept	)0.408918	0.0634036	)6.44944	3.9986E)7
	0.0235158	7.84994E)4	29.9567	0

Analysis of Variance

e	Sum of Squares	Df	Mean Square	F-Ratio
	17.47332	1	17.47332	897.40125
	.584131	30	.019471	
(Corr.)	18.057451	31		

lation Coefficient = **0.983693**
Error of Est. = 0.139539

u want to plot the fitted line? (Y/N):

P 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10QUIT
THR OCT 17 1985 09:51:00 AM VERSION 1.1 APL REC:OFF



Figure 14

Exponential model: Y = exp(a+bX) of ALPPM on ALABS

Parameter	Estimate	Standard Error	T Value	Prob. Level
Intercept	0.625543	0.10656	5.87033	2.00441E-6
Slope	0.104419	6.24801E-3	16.7124	0

Analysis of Variance

Source	Sum of Squares	Df	Mean Square	F-Ratio
Model	16.30603	1	16.30603	279.30474
Error	1.751423	30	.058381	
Total (Corr.)	18.057451	31		

Correlation Coefficient = 0.950267
Stnd. Error of Est. = 0.241621

Do you want to plot the fitted line? (Y/N):

1HELP 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10Q
PRINT THR OCT 17 1985 09:55:00 AM VERSION 1.1 APL REC



Figure 15

ential model: Y = exp(a+bX) of CRPPM on CRABS

eter	Estimate	Standard Error	T Value	Prob. Level
cept	)0.254362	0.0608972	)4.1769	2.34326E)4
	0.024961	8.64838E)4	28.8621	0

Analysis of Variance

e	Sum of Squares	Df	Mean Square	F-Ratio
	17.42975	1	17.42975	833.02115
	.627706	30	.020924	
(Corr.)	18.057451	31		

lation Coefficient = **0.982465**
Error of Est. = 0.14465

u want to plot the fitted line? (Y/N):

P 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10QUIT
WED OCT 16 1985 11:20:00 AM VERSION 1.1 APL REC:OFF



Figure 16

Exponential model: Y = exp(a+bX) of CUPPM on CUABS

Parameter	Estimate	Standard Error	T Value	Prob. Level
Intercept	1.16928	0.0934544	12.5118	1.95177E-13
Slope	0.049602	2.70121E-3	18.3629	0

Analysis of Variance

Source	Sum of Squares	Df	Mean Square	F-Ratio
Model	16.58215	1	16.58215	337.19589
Error	1.475298	30	.049177	
Total (Corr.)	18.057451	31		

Correlation Coefficient = 0.95828
Stnd. Error of Est. = 0.221758

Do you want to plot the fitted line? (Y/N):

1HELP 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10QU
PRINT WED OCT 16 1985 11:25:00 AM VERSION 1.1 APL REC:M



Figure 17

ential model: Y = exp(a+bX) of MGPPM on MGABS

eter	Estimate	Standard Error	T Value	Prob. Level
cept	)0.199394	0.114433	)1.74245	0.0916742
	0.0351084	1.56778E)3	22.3936	0

Analysis of Variance

e	Sum of Squares	Df	Mean Square	F-Ratio
	17.03817	1	17.03817	501.47463
	1.019284	30	.033976	
(Corr.)	18.057451	31		

lation Coefficient =)**0.971367**
Error of Est. = 0.184326

u want to plot the fitted line? (Y/N):

P 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10QUIT
N WED OCT 16 1985 11:30:00 AM VERSION 1.1 APL REC:OFF



Figure 18

Exponential model: Y = exp(a+bX) of NIPPM on NIABS

Parameter	Estimate	Standard Error	T Value	Prob. Level
Intercept	1.14158	0.0678847	16.8164	0
Slope	0.016091	7.33863E-4	21.9264	0

Analysis of Variance

Source	Sum of Squares	Df	Mean Square	F-Ratio
Model	16.99684	1	16.99684	480.76759
Error	1.060607	30	.035354	
Total (Corr.)	18.057451	31		

Correlation Coefficient = **0.970188**
Stnd. Error of Est. = 0.188025

Do you want to plot the fitted line? (Y/N):

1HELP 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10
PRINT WED OCT 16 1985 12:53:00 PM VERSION 1.1 APL REC



Figure 19

ential model: Y = exp(a+bX) of SIPPM on SIABS

eter	Estimate	Standard Error	T Value	Prob. Level
cept	0.867036	0.147055	5.89599	1.86535E)6
	0.0513636	5.66948E)3	9.05965	4.33137E)10

Analysis of Variance

e	Sum of Squares	Df	Mean Square	F-Ratio
	13.223971	1	13.223971	82.077328
	4.833480	30	.161116	
(Corr.)	18.057451	31		

lation Coefficient = **0.855761**
Error of Est. = 0.401393

u want to plot the fitted line? (Y/N):

F 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10QUIT
WED OCT 16 1985 12:57:00 PM VERSION 1.1 APL REC:OFF



Figure 20

Exponential model: Y = exp(a+bX) of TIPPM on TIABS

Parameter	Estimate	Standard Error	T Value	Prob. Level
Intercept	0.754188	0.0939064	8.03128	5.77862E-9
Slope	0.0404269	2.59512E-3	15.578	6.66134E-16

Analysis of Variance

Source	Sum of Squares	Df	Mean Square	F-Ratio
Model	16.07075	1	16.07075	242.67481
Error	1.986702	30	.066223	
Total (Corr.)	18.057451	31		

Correlation Coefficient = **0.943387**
Stnd. Error of Est. = 0.257339

Do you want to plot the fitted line? (Y/N):

1HELP 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10Q
PRINT WED OCT 16 1985 01:01:00 PM VERSION 1.1 APL REC



Figure 21

eter	Estimate	Standard Error	T Value	Prob. Level
cept	2.02823	0.077145	26.2911	1.46021E}10
	0.017144	7.46743E}4	22.9584	5.5497E}10

Analysis of Variance

e	Sum of Squares	Df	Mean Square	F-Ratio
	7.02806	1	7.02806	527.08818
	.1333375	10	.0133338	
(Corr.)	7.161401	11		

lation Coefficient = 0.990647
Error of Est. = 0.115472

u want to plot the fitted line? (Y/N):

P 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10QUIT
WED OCT 16 1985 02:22:00 PM VERSION 1.1 APL REC:OFF



Figure 22

12FEABS

Parameter	Estimate	Standard Error	T Value	Prob. Level
Intercept	2.0856	0.111556	18.6955	1.64458E-8
Slope	0.0177076	1.16632E-3	15.1824	1.01562E-7

Analysis of Variance

Source	Sum of Squares	Df	Mean Square	F-Ratio
Model	5.66556	1	5.66556	230.50634
Error	.2212088	9	.0245788	
Total (Corr.)	5.8867673	10		

Correlation Coefficient = **0.981031**
Stnd. Error of Est. = 0.156776

Do you want to plot the fitted line? (Y/N):

1HELP 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10
PRINT WED OCT 16 1985 02:26:00 PM VERSION 1.1 APL REC



Figure 23

eter	Estimate	Standard Error	T Value	Prob. Level
cept	2.23074	0.113955	19.5755	2.2663E)7
	0.0177512	1.23516E)3	14.3717	1.8801E)6

Analysis of Variance

e	Sum of Squares	Df	Mean Square	F-Ratio
	4.81112	1	4.81112	206.54435
	.1630536	7	.0232934	
(Corr.)	4.9741689	8		

lation Coefficient = **0.983473**
Error of Est. = 0.152622

u want to plot the fitted line? (Y/N):

P 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10QUIT
WED OCT 16 1985 02:30:00 PM VERSION 1.1 APL REC:OFF



Figure 24

SIABS

Parameter	Estimate	Standard Error	T Value	Prob. Level
Intercept	0.695262	0.280362	2.47987	0.03255
Slope	0.0490692	9.31056E-3	5.27028	3.62666E-4

Analysis of Variance

Source	Sum of Squares	Df	Mean Square	F-Ratio
Model	5.265639	1	5.265639	27.775844
Error	1.8957619	10	.1895762	
Total (Corr.)	7.161401	11		

Correlation Coefficient = 0.857485
Stnd. Error of Est. = 0.435403

Do you want to plot the fitted line? (Y/N):

1HELP 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10
PRINT THR OCT 17 1985 10:01:00 AM VERSION 1.1 APL REC



Figure 25

8S

eter	Estimate	Standard Error	T Value	Prob. Level
cept	0.676491	0.173968	3.88859	3.68286E)3
	0.0603773	6.99237E)3	8.63473	1.19672E)5

Analysis of Variance

e	Sum of Squares	Df	Mean Square	F-Ratio
	5.252711	1	5.252711	74.558628
	.6340567	9	.0704507	
(Corr.)	5.8867673	10		

lation Coefficient = **0.944612**
Error of Est. = 0.265426

u want to plot the fitted line? (Y/N):

2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10QUIT
THR OCT 17 1985 10:08:00 AM VERSION 1.1 APL REC:OFF

gression of 11↑12↓SIPPM on 11↑12↓SIABS



Figure 26

SIABS

Parameter	Estimate	Standard Error	T Value	Prob. Level
Intercept	0.852044	0.160635	5.30423	1.11822E-3
Slope	0.0690216	7.77771E-3	8.87429	4.67397E-5

Analysis of Variance

Source	Sum of Squares	Df	Mean Square	F-Ratio
Model	4.568128	1	4.568128	78.752935
Error	.4060407	7	.0580058	
Total (Corr.)	4.9741689	8		

Correlation Coefficient = 0.958316
Stnd. Error of Est. = 0.240844

Do you want to plot the fitted line? (Y/N):

1HELP 2LABEL 3SAVSC 4RECORD 5PLTPAR 6 7 8 9REVIEW 10
PRINT THR OCT 17 1985 10:12:00 AM VERSION 1.1 APL REC



GRAPHITE TUBE REPLACEMENT DATA

CATION	PWMA NO.	TUBE NO.	BURN NO. AT REPLACEMENT	REASON FOR REPLACEMENT
NGLEY AFB	002	2-1	101	AZ / RESLOPE FAILURE
		2-2	98	NO REASON GIVEN
		2-3	83	CAL II FAILURE
		2-4	43	CAL / AZ FAILURE
		2-5	160	CYCLE COMPLETED
		2-6	160	CYCLE COMPLETED
		2-7	160	CYCLE COMPLETED
RTLE BEACH AFB	003	3-1	2	AZ FAILURE
		3-2	120	CALIBRATION FAILURE
		3-3	120	RESLOPE FAILURE
		3-4	80	RESLOPE FAILURE
		3-5	40	RESLOPE FAILURE
		3-6	40	AZ FAILURE
RF PENSACOLA	004	4-1	1	AZ FAILURE
		4-2	160	CYCLE COMPLETED
		4-3	1	AZ FAILURE
		4-4	160	CYCLE COMPLETED
		4-5	40	AZ FAILURE
		4-6	160	CYCLE COMPLETED
		4-7	160	CYCLE COMPLETED
		4-8	1	AZ FAILURE
		4-9	160	CYCLE COMPLETED
		4-10	160	CYCLE COMPLETED
		4-11	1	AZ FAILURE
		4-12	1	AZ FAILURE
		4-13	160	CYCLE COMPLETED
		4-14	160	CYCLE COMPLETED
MENDORF AFB	005	5-1	160	CYCLE COMPLETED
		5-2	160	CYCLE COMPLETED

Table 41

DISTRIBUTION OF THE GRAPHITE TUBE REPLACEMENT TIMES

We analyzed the data on the burn numbers at which graphite tubes were replaced in the PWMA either due to malfunction or because a full cycle of 160 burns has been completed. This analysis is based on the portion of the PWMA field test completed so far. Complete details on the times of replacement and the reasons for replacement are in the Table 39.

The observed replacement times, in ascending order were 1,1,1,1,1,1, 2,40,40,40,43,80,83,98,101,120,120,160,160,160,160,160,160,160,160,160, 160,160,160,160,160,160,160,160. This data indicates that a graphite tube is defective at the outset with probability .17 and the probability that a tube needs replacement before completion of a 160 burn cycle is .486. The observed cumulative frequency distribution of the burn number at which tube replacement occurred is presented below.

Burn Number	Observed Cumulative Frequency
1	6/35 = .171
2	7/35 = .200
40	10/35 = .286
43	11/35 = .314
80	12/35 = .343
83	13/35 = .371
98	14/35 = .400
101	15/35 = .429
120	17/35 = .486

Table 42

DISTRIBUTION LIST

LIBRARY, Code 0142 (2)
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93943

DEPARTMENT OF MATHEMATICS (1)
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93943

DEPARTMENT OF OPERATIONS RESEARCH (1)
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93943

MR. HENRY SOLAR (25)
407 MONTPELIER DRIVE
SAN ANTONIO, TX 78288

MR. MITCHELL WEISS (25)
CODE 92611
NAVAL AIR ENGINEERING CENTER
LAKEHURST, NJ 08733

MS. REBECCA NEWMAN (5)
AIR FORCE WRIGHT AERONAUTICAL LABORATORIES
WRIGHT PATTERSON AIR FORCE BASE
DAYTON, OHIO 45433

PROFESSOR T. JAYACHANDRAN (5)
Code 53Jy
DEPARTMENT OF MATHEMATICS
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93943

PROFESSOR H. J. LARSON (5)
Code 55La
DEPARTMENT OF OPERATIONS RESEARCH
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93943

RESEARCH ADMINISTRATION (1)
Code 012
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93943